








### Lok Conference Top Shapes

Lok offers 15 conference table top shapes. Tables are available in 29", 36" or 42" high and in laminate, veneer or solid surface. Compatible base are: X Base, X4 Base or Y Base. Recommended seating capacity below assumes chair placement is on two sides.

					
<b>Rectangular</b> <b>29"h</b> 36" x 84" Seats 6 36" x 96" Seats 8 42" x 84" Seats 6 42" x 96" Seats 8 48" x 84" Seats 6 48" x 96" Seats 8 48" x 108" Seats 8 48" x 120" Seats 8 48" x 144" Seats 12 48" x 168" Seats 14 48" x 192" Seats 16 48" x 216" Seats 18 48" x 240" Seats 20 54" x 120" Seats 8 54" x 144" Seats 12 54" x 168" Seats 14 54" x 192" Seats 16 54" x 216" Seats 18 54" x 240" Seats 20 60" x 120" Seats 8 60" x 144" Seats 12 60" x 168" Seats 14 60" x 192" Seats 16 60" x 216" Seats 18 60" x 240" Seats 20  <b>36"h</b> 36" x 84" Seats 6 36" x 96" Seats 8 42" x 84" Seats 6 42" x 96" Seats 8 48" x 84" Seats 6 48" x 96" Seats 8  <b>42"h</b> 36" x 84" Seats 6 36" x 96" Seats 8 42" x 84" Seats 6 42" x 96" Seats 8 48" x 84" Seats 6 48" x 96" Seats 8	<b>Rounded Rectangular</b> <b>29"h</b> 36" x 84" Seats 6 36" x 96" Seats 8 42" x 84" Seats 6 42" x 96" Seats 8 48" x 84" Seats 6 48" x 96" Seats 8 48" x 108" Seats 8 48" x 120" Seats 8 48" x 144" Seats 12 48" x 168" Seats 14 48" x 192" Seats 16 48" x 216" Seats 18 48" x 240" Seats 20 54" x 120" Seats 8 54" x 144" Seats 12 54" x 168" Seats 14 54" x 192" Seats 16 54" x 216" Seats 18 54" x 240" Seats 20 60" x 120" Seats 8 60" x 144" Seats 12 60" x 168" Seats 14 60" x 192" Seats 16 60" x 216" Seats 18 60" x 240" Seats 20  <b>36"h</b> 36" x 84" Seats 6 36" x 96" Seats 8 42" x 84" Seats 6 42" x 96" Seats 8 48" x 84" Seats 6 48" x 96" Seats 8  <b>42"h</b> 36" x 84" Seats 6 36" x 96" Seats 8 42" x 84" Seats 6 42" x 96" Seats 8 48" x 84" Seats 6 48" x 96" Seats 8	<b>Arc Rectangular</b> <b>29"h</b> 36" x 84" Seats 6 36" x 96" Seats 8 42" x 84" Seats 6 42" x 96" Seats 8 48" x 84" Seats 6 48" x 96" Seats 8 48" x 108" Seats 8 48" x 120" Seats 8 48" x 144" Seats 12 48" x 168" Seats 14 48" x 192" Seats 16 48" x 216" Seats 18 48" x 240" Seats 20 54" x 120" Seats 8 54" x 144" Seats 12 54" x 168" Seats 14 54" x 192" Seats 16 54" x 216" Seats 18 54" x 240" Seats 20 60" x 120" Seats 8 60" x 144" Seats 12 60" x 168" Seats 14 60" x 192" Seats 16 60" x 216" Seats 18 60" x 240" Seats 20  <b>36"h</b> 36" x 84" Seats 6 36" x 96" Seats 8 42" x 84" Seats 6 42" x 96" Seats 8 48" x 84" Seats 6 48" x 96" Seats 8  <b>42"h</b> 36" x 84" Seats 6 36" x 96" Seats 8 42" x 84" Seats 6 42" x 96" Seats 8 48" x 84" Seats 6 48" x 96" Seats 8	<b>Rounded Arc Rectangular</b> <b>29"h</b> 36" x 84" Seats 6 36" x 96" Seats 8 42" x 84" Seats 6 42" x 96" Seats 8 48" x 84" Seats 6 48" x 96" Seats 8 48" x 108" Seats 8 48" x 120" Seats 8 48" x 144" Seats 12 48" x 168" Seats 14 48" x 192" Seats 16 48" x 216" Seats 18 48" x 240" Seats 20 54" x 120" Seats 8 54" x 144" Seats 12 54" x 168" Seats 14 54" x 192" Seats 16 54" x 216" Seats 18 54" x 240" Seats 20 60" x 120" Seats 8 60" x 144" Seats 12 60" x 168" Seats 14 60" x 192" Seats 16 60" x 216" Seats 18 60" x 240" Seats 20  <b>36"h</b> 36" x 84" Seats 6 36" x 96" Seats 8 42" x 84" Seats 6 42" x 96" Seats 8 48" x 84" Seats 6 48" x 96" Seats 8  <b>42"h</b> 36" x 84" Seats 6 36" x 96" Seats 8 42" x 84" Seats 6 42" x 96" Seats 8 48" x 84" Seats 6 48" x 96" Seats 8	<b>Racetrack</b> <b>29"h</b> 36" x 84" Seats 6 36" x 96" Seats 8 42" x 84" Seats 6 42" x 96" Seats 8 48" x 84" Seats 6 48" x 96" Seats 8 48" x 108" Seats 8 48" x 120" Seats 8 48" x 144" Seats 12 48" x 168" Seats 14 48" x 192" Seats 16 48" x 216" Seats 18 48" x 240" Seats 20 54" x 120" Seats 8 54" x 144" Seats 12 54" x 168" Seats 14 54" x 192" Seats 16 54" x 216" Seats 18 54" x 240" Seats 20 60" x 120" Seats 8 60" x 144" Seats 12 60" x 168" Seats 14 60" x 192" Seats 16 60" x 216" Seats 18 60" x 240" Seats 20  <b>36"h</b> 36" x 84" Seats 6 36" x 96" Seats 8 42" x 84" Seats 6 42" x 96" Seats 8 48" x 84" Seats 6 48" x 96" Seats 8  <b>42"h</b> 36" x 84" Seats 6 36" x 96" Seats 8 42" x 84" Seats 6 42" x 96" Seats 8 48" x 84" Seats 6 48" x 96" Seats 8	<b>Oval</b> <b>29"h</b> 42" x 84" Seats 6 48" x 96" Seats 8 54" x 108" Seats 8 60" x 120" Seats 10  <b>36"h</b> 42" x 84" Seats 6 48" x 96" Seats 8  <b>42"h</b> 42" x 84" Seats 6 48" x 96" Seats 8

## Lok Conference Top Shapes


Lok offers 15 conference table top shapes. Tables are available in 29", 36" or 42" high and in laminate, veneer or solid surface. Compatible base are: X Base, X4 Base or Y Base. Recommended seating capacity below assumes chair placement is on two sides.



- Boat  
29"h**
- 36" x 84" Seats 6
  - 36" x 96" Seats 8
  - 42" x 84" Seats 6
  - 42" x 96" Seats 8
  - 48" x 84" Seats 6
  - 48" x 96" Seats 8
  - 48" x 108" Seats 8
  - 48" x 120" Seats 8
  - 48" x 144" Seats 12
  - 48" x 168" Seats 14
  - 48" x 192" Seats 16
  - 48" x 216" Seats 18
  - 48" x 240" Seats 20
  - 54" x 120" Seats 8
  - 54" x 144" Seats 12
  - 54" x 168" Seats 14
  - 54" x 192" Seats 16
  - 54" x 216" Seats 18
  - 54" x 240" Seats 20
  - 60" x 120" Seats 8
  - 60" x 144" Seats 12
  - 60" x 168" Seats 14
  - 60" x 192" Seats 16
  - 60" x 216" Seats 18
  - 60" x 240" Seats 20

- 36"h**
- 36" x 84" Seats 6
  - 36" x 96" Seats 8
  - 42" x 84" Seats 6
  - 42" x 96" Seats 8
  - 48" x 84" Seats 6
  - 48" x 96" Seats 8


- 42"h**
- 36" x 84" Seats 6
  - 36" x 96" Seats 8
  - 42" x 84" Seats 6
  - 42" x 96" Seats 8
  - 48" x 84" Seats 6
  - 48" x 96" Seats 8



- Rounded Boat  
29"h**
- 36" x 84" Seats 6
  - 36" x 96" Seats 8
  - 42" x 84" Seats 6
  - 42" x 96" Seats 8
  - 48" x 84" Seats 6
  - 48" x 96" Seats 8
  - 48" x 108" Seats 8
  - 48" x 120" Seats 8
  - 48" x 144" Seats 12
  - 48" x 168" Seats 14
  - 48" x 192" Seats 16
  - 48" x 216" Seats 18
  - 48" x 240" Seats 20
  - 54" x 120" Seats 8
  - 54" x 144" Seats 12
  - 54" x 168" Seats 14
  - 54" x 192" Seats 16
  - 54" x 216" Seats 18
  - 54" x 240" Seats 20
  - 60" x 120" Seats 8
  - 60" x 144" Seats 12
  - 60" x 168" Seats 14
  - 60" x 192" Seats 16
  - 60" x 216" Seats 18
  - 60" x 240" Seats 20

- 36"h**
- 36" x 84" Seats 6
  - 36" x 96" Seats 8
  - 42" x 84" Seats 6
  - 42" x 96" Seats 8
  - 48" x 84" Seats 6
  - 48" x 96" Seats 8


- 42"h**
- 36" x 84" Seats 6
  - 36" x 96" Seats 8
  - 42" x 84" Seats 6
  - 42" x 96" Seats 8
  - 48" x 84" Seats 6
  - 48" x 96" Seats 8



- Rounded Double Chevron  
29"h**
- 36" x 84" Seats 6
  - 36" x 96" Seats 8
  - 42" x 84" Seats 6
  - 42" x 96" Seats 8
  - 48" x 84" Seats 6
  - 48" x 96" Seats 8

- 36"h**
- 36" x 84" Seats 6
  - 36" x 96" Seats 8
  - 42" x 84" Seats 6
  - 42" x 96" Seats 8
  - 48" x 84" Seats 6
  - 48" x 96" Seats 8


- 42"h**
- 36" x 84" Seats 6
  - 36" x 96" Seats 8
  - 42" x 84" Seats 6
  - 42" x 96" Seats 8
  - 48" x 84" Seats 6
  - 48" x 96" Seats 8



- Taper  
29"h**
- 54" x 96" Seats 8
  - 60" x 120" Seats 10

- 36"h**
- 54" x 96" Seats 8

- 42"h**
- 54" x 96" Seats 8



- Rounded Taper  
29"h**
- 54" x 96" Seats 8
  - 60" x 120" Seats 10


- 36"h**
- 54" x 96" Seats 8

- 42"h**
- 54" x 96" Seats 8



### Lok Conference Top Shapes

Lok offers 15 conference table top shapes. Tables are available in 29", 36" or 42" high and in laminate, veneer or solid surface. Compatible base are: X Base, X4 Base or Y Base. Recommended seating capacity below assumes chair placement is on two sides.




**Round**  
**29"h**

30"	Seats 3
36"	Seats 4
42"	Seats 4
48"	Seats 4
54"	Seats 6
60"	Seats 8




**Square**  
**29"h**

30" x 30"	Seats 4
36" x 36"	Seats 4
42" x 42"	Seats 4
48" x 48"	Seats 4
54" x 54"	Seats 6
60" x 60"	Seats 8



**Rounded Square**  
**29"h**

30" x 30"	Seats 4
36" x 36"	Seats 4
42" x 42"	Seats 4
48" x 48"	Seats 4
54" x 54"	Seats 6
60" x 60"	Seats 8



**Squircle**  
**29"h**

30" x 30"	Seats 4
36" x 36"	Seats 4
42" x 42"	Seats 4
48" x 48"	Seats 4
54" x 54"	Seats 6
60" x 60"	Seats 8

**36"h**

30"	Seats 3
36"	Seats 4
42"	Seats 4
48"	Seats 4
54"	Seats 6
60"	Seats 8

**36"h**

30" x 30"	Seats 4
36" x 36"	Seats 4
42" x 42"	Seats 4
48" x 48"	Seats 4
54" x 54"	Seats 6
60" x 60"	Seats 8

**36"h**

30" x 30"	Seats 4
36" x 36"	Seats 4
42" x 42"	Seats 4
48" x 48"	Seats 4
54" x 54"	Seats 6
60" x 60"	Seats 8

**36"h**

30" x 30"	Seats 4
36" x 36"	Seats 4
42" x 42"	Seats 4
48" x 48"	Seats 4
54" x 54"	Seats 6
60" x 60"	Seats 8

**42"h**

30"	Seats 3
36"	Seats 4
42"	Seats 4
48"	Seats 4
54"	Seats 6
60"	Seats 8

**42"h**

30" x 30"	Seats 4
36" x 36"	Seats 4
42" x 42"	Seats 4
48" x 48"	Seats 4
54" x 54"	Seats 6
60" x 60"	Seats 8

**42"h**

30" x 30"	Seats 4
36" x 36"	Seats 4
42" x 42"	Seats 4
48" x 48"	Seats 4
54" x 54"	Seats 6
60" x 60"	Seats 8

**42"h**


30" x 30"	Seats 4
36" x 36"	Seats 4
42" x 42"	Seats 4
48" x 48"	Seats 4
54" x 54"	Seats 6
60" x 60"	Seats 8




## Lok Laminate Conference Surface Materials

### Laminate Tops

Lok conference table worksurfaces are offered in HPL (High Pressure Laminate) The tops are 1 3/8" thick, 3 ply balanced construction. Particle board core and a phenolic backer sheet complete the balanced construction.



**Eased Edge (R3)**  
PVC



**Reverse Bevel (K9)**  
PVC on painted top of painted MDF

### Standard PVC Edge Colors

JSI supports 26 standard PVC edge colors listed below. These coordinate with our Standard (T1) Laminates.

When selecting a Standard (T1) Laminate, the coordinating PVC edge color is automatically applied. When selecting a Graded-In Laminate (T2 or T3), you will be prompted to choose one these 26 PVC edge colors to be applied; see web-site for updated Graded-In Laminate list.

ALB	Alabaster	MES	Mesa
BEL	Belair	MIN	Mineral
BLK	Black	MCH	Mocha
BRK	Brickdust	OBK	Outback
BBL	Bridal Blanco	PIL	Pilsner
CSK	Cask	PIN	Pinnacle Walnut
CLY	Clay	SHD	Shadow
DWH	Designer White	SLG	Slate Grey
EGR	Egret	UMB	Umber
FAW	Fawn	VAL	Valley
FLN	Flint	WAL	Walnut Heights
FLO	Florence Walnut	WEA	Weathered Ash
LOF	Loft	ZEN	Zen Grey

### Standard Laminates

JSI Standard Laminate program consists of 26 solid and wood grain patterns, and establish our T1 laminate pricing. Each has a coordinating PVC edge color that is automatically used with the Standard Laminates.

#### Wood Grain Laminate

BEL	Belair	MIN	Mineral
BRK	Brickdust	MCH	Mocha
CSK	Cask	OBK	Outback
CLY	Clay	PIL	Pilsner
EGR	Egret	PIN	Pinnacle Walnut
FAW	Fawn	UMB	Umber
FLN	Flint	VAL	Valley
FLO	Florence Walnut	WLH	Walnut Heights
LOF	Loft	WEA	Weathered Ash
MES	Mesa		

#### Solid Laminate


ALB	Alabaster
BLK	Black
BBL	Bridal Blanco
DWH	Designer White
SHD	Shadow
SLG	Slate Grey
ZEN	Zen Grey




## Lok Veneer or Solid Surface Conference Surface Materials

### Veneer Tops

Tops are 1 3/16" thick, 5 ply balanced construction with particle board core. Standard Tier 1 veneer is essentials, book matched for cherry, maple, walnut and black oak veneer. Standard Tier 2 veneer is Artisan.



**Eased Edge (R3)**  
Internal Lumber Band



**Reverse Bevel (K9)**  
Veneer Band on Stained MDF

### Finish - Stain/Colors

#### ESS Essentials Veneer Collection


BRK Brickdust	MIN Mineral
CSK Cask	MCH Mocha
CLY Clay	OBK Outback
FAW Fawn	PIL Pilsner
FLX Flax	SIE Sienna
FLN Flint	TRF Truffle
LOF Loft	UMB Umber
MES Mesa	VAL Valley

#### ART Artisan Veneer Collection

BAR Barrel	RAV Raven
BUF Buff	RYE Rye
CND Cinder	SAB Sable
EGR Egret	SAD Saddle

### Solid Surface Tops

Tops are 1 3/16" thick constructed of 1/2" thick Solid Surface on top of a 1/16" MDF sub top. Sub top has an under cut bevel profile and is painted in a coordinated color to match the Solid Surface.



**Reverse Bevel Edge (K7)**  
Solid Surface over painted MDF


#### Standard Solid Surface

ONX	Black Onyx Mirage
DWH	Designer White
HST	Hot Stone
SOG	Soothing Grey




## Lok Conference Base Styles

Lok provides a choice selection of bases in both function and aesthetics to serve a variety of needs. The conferencing offering includes: X-Base, Y Base and X4 base.




### X-Base

- available 29"h, 36"h or 42"h only in glides
- compatible with the following top shapes: round, square or squircle
- base finish - select single metal finish or two-tone metal finish. See options listed below
- power access version, with integrated wire management available with an upcharge



### Y Base

- available in 29"h, 36"h or 42"h only in glides
- compatible with the following top shapes: arc rectangular, boat, double chevron, oval, racetrack, rectangular, round, square and taper
- base finish - select single metal finish or two-tone metal finish. See options listed below




### X4 Base

- available in 29"h, 36"h or 42"h only in glides
- compatible with the following top shapes: round, square, and squircle
- base finish - select single metal finish or two-tone metal finish. See options listed below.

### Single Metal Finish

- ABZ Aged Bronze Feet & Post
- ASL Arctic Silver Feet & Post
- GLD Gold Feet & Post
- PEW Pewter Feet & Post
- MBK Matte Black Feet & Post
- SBZ Soft Bronze Feet & Post
- SNK Soft Nickel Feet & Post




Example

### Two - Tone Metal Finish

Two-Tone Aesthetics can be achieved by specifying Polished Aluminum on the foot and a contrasting finish on the post

#### Polished Aluminum Feet


- ABZ Aged Bronze Post
- ASL Arctic Silver Post
- GLD Gold Post
- PEW Pewter Post
- MBK Matte Black Post
- SBZ Soft Bronze Post
- SNK Soft Nickel Post



Example

### Power/Charging Options

Lok offers the ability to place power and charging options in the center of select tables. Select your choice of EC23 or EC24, available in black and white.



#### Moire - EC23

- Three 110 outlets
- Dual USB port with 72" power cord
- Black (B) or White (W)

select CTEC23 for cutout in worksurfaces




#### Node - EC24

- One 110 outlet
- Dual USB port with 72" power cord
- Black (B) or White (W)

select CTEC24 for cutout in worksurfaces

Cut outs are located in the center of each table. See below for representation or location.



#### CORPORATE OFFICE

225 CLAY STREET  
JASPER, INDIANA 47546



800.457.4511 TOLL FREE

812.482.3204 OFFICE

812.482.1548 FAX




JSIFURNITURE.COM



CONTACT JSI


### Lok Conference Electrical Overview

Lok provides several packages to choose from for your electrical needs. Choose solutions for top surface power, underneath outlets, wireless charging, or a combination. Specifying an electrical package eliminates your need to calculate additional components, as all units and necessary jumpers will ship with your table. You will only need to determine which power in-feed best suits your needs and order separately.




#### Electrical - 1 Piece Tops


Power and Charging Packages are measured and located out from the center of the table. Shown on rectangular tops, these dimensions are the same from center regardless of table shape (ie chevron, boat, etc.). Power in-feed is specified separately to support building electrical connection.



CU1 - Single Power Underside



CT2 - Dual Power Center Top



CT2U1 - Dual Power Center Top with Underside and Two Wireless Charging



**CORPORATE OFFICE**  
225 CLAY STREET  
JASPER, INDIANA 47546



800.457.4511 **TOLL FREE**  
812.482.3204 **OFFICE**  
812.482.1548 **FAX**



JSIFURNITURE.COM




CONTACT JSI


## Lok Conference Electrical Overview

### Electrical - 2 Piece Tops


Power and Charging Packages are measured and located out from the center of the table. Shown on rectangular tops, these dimensions are the same from center regardless of table shape (ie chevron, boat, etc.). Power in-feed is specified separately to support building electrical connection.



**CT2 - Dual Power Top with Underside and Two Wireless Charging**



**CT4 - Four Power Top**




**CT4 - Four Power Top with Underside and Two Wireless Charging**




## Lok Conference Electrical Overview

### Electrical - 3 Piece Tops


Power and Charging Packages are measured and located out from the center of the table. Shown on rectangular tops, these dimensions are the same from center regardless of table shape (ie chevron, boat, etc.). Power in-feed is specified separately to support building electrical connection.



CT6 - Six Power Top



CT6 - Six Power Top



CT6 - Six Power Top with Dual Underside and Four Wireless Charging

