

Cleaning Guidelines



Ceilings, Walls, Suspension Systems, & Trim

Due to the potential impact on the finish, please follow the specific guidance below for general cleaning:

- It is recommended that only clear mild detergent cleaners be used, as dyed liquids can permanently discolor the finish of some ceiling tiles.
- Cleaning is only recommended for the finished face of the ceiling and wall panels.
- Mineral fiber and fiberglass ceiling and wall panels should never be soaked in water or other liquids.
- Custom colors or printed Create!™ mineral fiber or fiberglass products should always use Cleaning Option 1.

Cleaning Option 1

A commercial vacuum system with 100-inches/H₂O vacuum capacity is recommended for removing dust particles. The vacuum system cleaning attachment should be a 3" diameter wand with natural hair bristle. A HEPA vacuum filter is recommended to minimize airborne dust during the cleaning process. Care must be taken while vacuuming to avoid excessive pressure. Use a blotting action to minimize potential damage of surface texture on ceiling and wall panels.

Cleaning Option 2

Using a clean damp cloth or soft, smooth sponge with a mild, clear detergent, wipe lightly on the surface to remove any dirt. Dry any excess moisture with a clean, white microfiber cloth.

NOTE: If moisture is not removed, it may stain the surface over time.

Cleaning conditions and aesthetics may be impacted by additional site conditions. These instructions pertain only to the maintenance of the aesthetics and integrity of Armstrong Ceiling & Wall Solutions products. Please consult the manufacturer's instructions and guidance regarding any cleaning product.

Product	STANDARD CLEANING RECOMMENDATIONS – CEILINGS	
	Cleaning Option 1	Cleaning Option 2
AcoustiBuilt®	•	•
Armatuff®	•	•
Backstage Noir®	•	
Calla® Calla® Lay-in and Tegular Calla® Health Zone™ Calla® High CAC Calla® High NRC Calla® PrivAssure™ Calla® Shapes for DesignFlex® Calla® Vector® Calla® Templok®	•	•
Calla® Calla® Health Zone™ AirAssure®	•	•
Canyon® Canyon® for Prelude® XL Max®	•	•
Ceramaguard® Ceramaguard® Fine Fissured™	•	•

STANDARD CLEANING RECOMMENDATIONS – CEILINGS

Product

Cleaning Option 1

Cleaning Option 2

Cirrus®

- Cirrus® High NRC
- Cirrus® Profiles
- Cirrus® Second Look®
- Cirrus® Themes™

•

•

Clean Room™

- Clean Room™ FL
- Clean Room™ FL for Prelude® XL Max®
- Clean Room™ VL

•

•

Cortega®

- Cortega® Second Look®

•

•

DataZone™

- DataZone™ for Dynamax®
- DataZone™ for Prelude® XL® Max

•

•

Designer™

•

•

DesignFlex® for Formations™

•

•

DesignStackz™ Ceiling System

•

•

Dune™

- Dune™ Second Look®

•

•

FeltWorks®

- FeltWorks® Acoustical Panels
- FeltWorks® Blades – HookOn
- FeltWorks® Blades – VarAffix™
- FeltWorks® Open Cell

•

Fine Fissured™

- Fine Fissured™ for Prelude® XL Max®
- Fine Fissured™ High NRC
- Fine Fissured™ Second Look®

•

•

Fissured

•

•

Formations™

- Formations™ Curves Cloud Kits
- Formations™ for Drywall Cloud Kits
- Formations™ Planks Cloud Kits
- Formations™ Squares & Rectangles Cloud Kits
- Formations™ Staggered Cloud Kits

•

•

Georgian™ High Washability

•

•

Graphis®

- Graphis® Finetex™
- Graphis® Rustex™

•

•

Infill Panels

•

•

STANDARD CLEANING RECOMMENDATIONS – CEILINGS

Product

Cleaning Option 1

Cleaning Option 2

Infusions®

- Infusions® Accent Canopies
- Infusions® Blades – Concepts
- Infusions® Lay-in
- Infusions® Shapes

•

InvisAcoustics™

•

•

Kitchen Zone™

•

•

Ledges®

•

•

Lyra®

- Lyra® Concealed
- Lyra® Capz™
- Lyra® Plant Based (PB)
- Lyra® PB Direct Apply
- Lyra® PB Shapes for DesignFlex®
- Lyra® PB High CAC
- Lyra® Vector®
- Lyra® PB Vector® Wood Looks

•

•

Mesa™

- Mesa™ Second Look

•

•

MetalWorks™

- MetalWorks™ 3D
- MetalWorks™ Blades – Classics
- MetalWorks™ Canopies
- MetalWorks™ Capz™
- MetalWorks™ Clip-On
- MetalWorks™ Concealed
- MetalWorks™ Immix®
 - Blades
 - Linear
- MetalWorks™ Open Cell
- MetalWorks™ Plank
- MetalWorks™ SecureLock
- MetalWorks™ Shapes for DesignFlex®
- MetalWorks™ Tegular
- MetalWorks™ Tegular for DesignFlex®
- MetalWorks™ Tin
- MetalWorks™ Torsion Spring
- MetalWorks™ Torsion Spring – Large Format
- MetalWorks™ Torsion Spring for Behavioral Health
- MetalWorks™ Torsion Spring Shapes
- MetalWorks™ Vector® & Vector® Exterior
- MetalWorks™ Linear
 - MetalWorks™ Linear – Classics
 - MetalWorks™ Linear – Diverge™
 - MetalWorks™ Linear – Synchro®
- MetalWorks™ Mesh
 - Expanded Metal
 - Welded Wire
 - Woven Wire

•

•

STANDARD CLEANING RECOMMENDATIONS – CEILINGS

Product	STANDARD CLEANING RECOMMENDATIONS – CEILINGS	
	Cleaning Option 1	Cleaning Option 2
Metaphors® Coffers	•	
Optima® Create!™	•	
Optima® Optima® Concealed Optima® Health Zone™ Optima® Lay-in & Tegular Optima® PB Shapes for DesignFlex® Optima® Plant Based Optima® Vector® Optima® Capz™	•	•
Pebble™	•	•
Pueblo®	•	•
Random Fissured™	•	•
School Zone® Fine Fissured™ School Zone® Fine Fissured™	•	•
School Zone® School Zone® Fine Fissured™ AirAssure®	•	•
Serpentina® Serpentina® Classic Serpentina® Components Serpentina® Vault Serpentina® Waves™	•	•
Shasta®	•	•
SoundScapes® SoundScapes® Acoustical Canopies SoundScapes® Basics SoundScapes® Blades SoundScapes® Shapes	•	
SuperCoat™ Touch-Up Paint (Ceiling)	•	•

STANDARD CLEANING RECOMMENDATIONS – CEILINGS

Product

Cleaning Option 1

Cleaning Option 2

TechZone® Panels

- TechZone® with Calla® Field Panels
- TechZone® with Lyra® PB Field Panels
- TechZone® with Lyra® PB Technical Panels
- TechZone® with MetalWorks™ Field Panels
- TechZone® with MetalWorks™ Technical Panels
- TechZone® with Optima® Field Panels
- TechZone® with Optima® Technical Panels
- TechZone® with Ultima® Field Panels
- TechZone® with Ultima® Technical Panels
- TechZone® with WoodWorks® Field Panels
- TechZone® with WoodWorks® Technical Panels

•

Tectum®

- Tectum® Blades & Baffles
- Tectum® Clouds & Shapes
- Tectum® Create!™
- Tectum® Direct-Attach Ceilings
- Tectum® DesignArt®
 - Tectum® DesignArt® – Lines
 - Tectum® DesignArt® – Lines Finale™ PB
 - Tectum® DesignArt® – Lines High NRC
 - Tectum® DesignArt® – Shapes
- Tectum® Finale™ PB
- Tectum® High NRC
- Tectum® Lay-in
- Tectum® Tegular

•

•

Tincraft™

•

•

Tundra®

•

•

Ultima®

- Ultima® Create!™

•

Ultima®

- Ultima® Health Zone™ Create!™

•

Ultima®

- Ultima® Health Zone™ AirAssure®

•

•

Ultima®

- Ultima® for Prelude® XL Max®
- Ultima® Health Zone™
- Ultima® Health Zone™ High NRC
- Ultima® High NRC
- Ultima® Lay-in & Tegular
- Ultima® Shapes for DesignFlex®
- Ultima® Vector®
- Ultima® AirGuard™ Coating
- Ultima® Templok®
- Ultima® Low Embodied Carbon

•

•

STANDARD CLEANING RECOMMENDATIONS – CEILINGS

Product

Cleaning Option 1

Cleaning Option 2

VL

•

•

WoodWorks®

- WoodWorks® Channeled Plank
- WoodWorks® Channeled Tegular
- WoodWorks® Channeled Vector®
- WoodWorks® Concealed
- WoodWorks® Grille – Classics
- WoodWorks® Grille – Forté
- WoodWorks® Grille Tegular
- WoodWorks® Linear Solid Wood Panels
- WoodWorks® Linear Tegular
- WoodWorks® Linear Veneered Closed
- WoodWorks® Linear Veneered Panels
- WoodWorks® Linear Veneered Open
- WoodWorks® Open Cell
- WoodWorks® Shapes for DesignFlex®
- WoodWorks® Tegular
- WoodWorks® Torsion Spring
- WoodWorks® Vector®

•

•

STANDARD CLEANING RECOMMENDATIONS – WALLS

Product

Cleaning Option 1

Cleaning Option 2

FeltWorks®

FeltWorks® Acoustical Panels

•

Infusions™

Infusions™ Resilient Partitions

Infusions™ Sheets

Infusions™ Walls

•

•

MetalWorks™ Linear – Synchro® Wall Panels

•

•

Optima™ Wall Panels

•

•

SoundScapes®

SoundScapes® Blades

SoundScapes® Shapes

•

Soundsoak®

Soundsoak® 85 Fiberglass

•

•

Tectum®

Tectum® Create!™

Tectum® Direct-Attach Walls

Tectum® DesignArt®

Tectum® DesignArt® – Lines

Tectum® DesignArt® – Lines Finale™ PB

Tectum® DesignArt® – Lines High NRC

Tectum® DesignArt® – Shapes

Tectum® Finale™ PB

Tectum® Finale™ Wall Panels

Tectum® High NRC

•

•

WoodWorks®

WoodWorks® Channeled

WoodWorks® Definitions™

WoodWorks® Wall Panels

WoodWorks® Grille – Classics

WoodWorks® Grille – Forté

•

•

STANDARD CLEANING RECOMMENDATIONS – SUSPENSION SYSTEMS

Product	STANDARD CLEANING RECOMMENDATIONS – SUSPENSION SYSTEMS	
	Cleaning Option 1	Cleaning Option 2
Suspension Systems		
Suprafine® XL® Suprafine® XL® 9/16" Exposed Tee Suprafine® XL® Fire Guard™ 9/16" Exposed Tee Suprafine® XL® High Recycled Content	•	•
Suprafine® XM Suprafine® XM® 9/16" Exposed Tee System for Shapes		
1-1/2" Co-Extruded Clean Room™ 15/16" Co-Extruded Clean Room™	•	•
360° Painted Grid	•	•
Axiom® Axiom® Building Perimeter Pockets for Lutron Shades Axiom® Building Perimeter Shade Pockets Axiom® Classic Axiom® Direct Light Coves Axiom® Drywall Trim Axiom® Glazing Channel Axiom® Indirect Field Light Coves Axiom® Indirect Light Coves Axiom® Indirect Light Ledge Axiom® Knife Edge® Axiom® Moldings & Column Rings Axiom® Paired Axiom® Transitions Axiom® Vector Axiom® Interlude®	•	•
Accessories & Moldings	•	•
Accessories & Moldings – Seismic	•	•
Acoustical & Drywall Transition Molding	•	•
Continuous Load Path (CLP) for Prelude® XL®	•	•
DynaMax®	•	•
DynaMax® LT	•	•
DynaMax® Plus	•	•
Drywall Grid Accessories	•	•
FrameAll® Drywall Grid	•	•
Interlude® XL® HRC Dimensional Tee	•	•

STANDARD CLEANING RECOMMENDATIONS – SUSPENSION SYSTEMS

Product

Cleaning Option 1

Cleaning Option 2

Prelude®

- Prelude® Concealed
- Prelude® ML
 - Prelude® ML 15/16" Exposed Tee
- Prelude® XL®
 - Prelude® XL® 15/16" Exposed Tee
 - Prelude® XL® 15/16" for Exterior Applications
 - Prelude® XL® Fire Guard™ 15/16" Exposed Tee
 - Prelude® XL® High Recycled Content
- Prelude® Plus XL®
 - Prelude® Plus XL® Aluminum 15/16" Exposed Tee
 - Prelude® Plus XL® Fire Guard™ 15/16" Exposed Tee
 - Prelude® Plus XL® Stainless Steel 15/16" Exposed Tee
 - Prelude® Plus XL® 15/16" Exposed Tee
 - Prelude® Plus XL® 15/16" for Exterior Applications
 - Prelude® Plus XL® Fire Guard™ 15/16" Exposed Tee
 - Prelude® Plus XL® High Recycled Content
- Prelude® XL Max®
- Prelude® XM
 - Prelude® XM 15/16" Exposed Tee System for Shapes

•

•

QuikStix™

- QuikStix™ Drywall Grid System Locking Pocket Mains
- QuikStix™ Drywall Grid System for Soffits

•

•

ShortSpan® Drywall Framing System

•

•

Silhouette® XL®

- Silhouette® XL® 9/16" Bolt Slot – 1/4" Reveal
- Silhouette® XL® 9/16" Bolt Slot – 1/8" Reveal

•

•

SimpleSoffit® Drywall Framing System

•

•

SingleSpan™ Acoustical Corridor System

•

Skylo™ Walkable Suspension System

- 2" Flat System
- 2" Automated Material Handling System (AMHS)
- 5" Flat System
- 5" Plenum Cap System

•

•

Suprafine® ML 9/16" Exposed Tee

•

•

Lighting Solutions

Linear Lighting

- Linear Lighting for Drywall
- Linear Lighting for AcoustiBuilt®

•

•