

# Disinfecting Guidelines:


## Armstrong CleanAssure™ Family of Products









The CleanAssure™ family of products includes panels, suspension systems, and trim that can be disinfected using CDC recommended and EPA-approved disinfectants. Due to the potential impact on the finish, please follow the specific guidance below:




Many commercially available disinfectant cleaning solutions are available however we have specifically chosen and tested the options noted in this document to ensure they do not discolor our products with repeated disinfecting.




- It is recommended that only clear cleaners be used, as dyed liquids can permanently discolor the finish of the ceiling tiles.
- Cleaning is only recommended for the finished face of the board.
- The panels should never be soaked in water or other liquids, as this can have an adverse effect on board integrity.
- Use the safety recommendations for gloves and eye protection that are given by the manufacturer of the cleaner and cleaning equipment.




| Product  | FOG  |  | SPRAY  |   | WIPE  |                        |
|--|---|--|---|---|--|------------------------|
|  | Fiberlock Technologies, Inc. – ShockWave™ – Diluted 2 oz per gallon                   | Diversey™ – Morning Mist™ Neutral Disinfectant Cleaner – Diluted 2 oz per gallon | Bleach – 0.12%  | Diversey™ – Morning Mist™ Neutral Disinfectant Cleaner – Diluted 0.085% | Diversey™ – Morning Mist™ Neutral Disinfectant Cleaner – Diluted 0.085%                  | Hydrogen Peroxide – 3% |
| <b>AcoustiBuilt®</b><br>Ceiling Panels<br>Wall Panels  | •   | •  | •   | •   |  |                        |
| <b>Axiom®</b><br>Axiom® Direct Light Coves<br>Axiom® Indirect Light Coves for Specialty Ceilings<br>Axiom® Direct Light Coves for Specialty Ceilings<br>Axiom® Indirect Field Light Coves<br>Axiom® Indirect Light Coves<br>Axiom® Indirect Light Ledge<br>Axiom® Knife Edge®<br>Axiom® Moldings & Column Rings<br>Axiom® Paired<br>Axiom® Transitions<br>Axiom® Vector<br>Axiom® for Interlude® | •   | •  | •   | •   |  | •                      |
| <b>Backstage Noir®</b>   | •   | •  |   |   |  |                        |
| <b>Calla®</b><br>Calla® Lay-in and Tegular<br>Calla® High CAC<br>Calla® High NRC<br>Calla® PrivAssure®<br>Calla® Shapes for DesignFlex®<br>Calla® Templok®<br>Calla® Vector®   | •   | •  |   |   |  |                        |

| Product  | FOG  |  | SPRAY  |   | WIPE  |                        |
|--|---|--|---|---|--|------------------------|
|  | Fiberlock Technologies, Inc. – ShockWave™ – Diluted 2 oz per gallon                   | Diversey™ – Morning Mist™ Neutral Disinfectant Cleaner – Diluted 2 oz per gallon | Bleach – 0.12%  | Diversey™ – Morning Mist™ Neutral Disinfectant Cleaner – Diluted 0.085% | Diversey™ – Morning Mist™ Neutral Disinfectant Cleaner – Diluted 0.085%                  | Hydrogen Peroxide – 3% |
| <b>Calla® Health Zone™</b><br>Calla® Health Zone™<br>Calla® Health Zone™ AirAssure®  | •   | •  |   | •   | •  |                        |
| <b>CastWorks™ Metaphors®</b><br>Ceiling Panels<br>Coffers  |   | •  |   | •   |  |                        |
| <b>Ceramaguard®</b><br>Ceramaguard® Fine Fissured™   | •   | •  | •   |   | •  |                        |
| <b>Cirrus®</b><br>Cirrus® High NRC   | •   | •  |   |   | •  |                        |
| <b>Clean Room™</b><br>Clean Room™ FL<br>Clean Room™ VL<br>Clean Room™ FL for Prelude® XL Max®  | •   | •  | •   |   | •  | •                      |
| <b>Clean Room™</b><br>Clean Room™ Aluminum and Steel Suspension Systems  | •   | •  | •   | •   |  | •                      |
| <b>Continuous Load Path (CLP) for Prelude® XL®</b>   | •   | •  | •   |   | •  | •                      |
| <b>DesignStackz™ Ceiling System</b>  | •   | •  |   |   |  |                        |
| <b>Drywall &amp; AcoustiBuilt®</b><br>Trim Kit   | •   | •  | •   | •   |  | •                      |
| <b>DynaMax® Structural Grid</b><br>DynaMax®<br>DynaMax® Plus   | •   | •  | •   | •   |  | •                      |
| <b>FeltWorks®</b><br>FeltWorks® Acoustical Panels<br>FeltWorks® Blades – HookOn<br>FeltWorks® Blades – VarAffix™<br>FeltWorks® Open Cell |   |  | •   |   |  |                        |
| <b>Fine Fissured™ for Prelude® XL Max®</b>   |   | •  |   |   |  |                        |
| <b>Infusions™ Resilient Partitions</b>   |   |  |   |   |  | •                      |
| <b>Interlude® XL® HRC Dimensional Tee</b>  | •   | •  | •   | •   |  | •                      |
| <b>InvisAcoustics™</b>   |   | •  |   |   |  |                        |
| <b>Kitchen Zone™</b>   | •   | •  | •   |   | •  | •                      |

| Product   | FOG  |  | SPRAY  |   | WIPE  |                        |
|---|---|--|---|---|--|------------------------|
|   | Fiberlock Technologies, Inc. – ShockWave™ – Diluted 2 oz per gallon                   | Diversey™ – Morning Mist™ Neutral Disinfectant Cleaner – Diluted 2 oz per gallon | Bleach – 0.12%  | Diversey™ – Morning Mist™ Neutral Disinfectant Cleaner – Diluted 0.085% | Diversey™ – Morning Mist™ Neutral Disinfectant Cleaner – Diluted 0.085%                  | Hydrogen Peroxide – 3% |
| <b>Lyra®</b><br>Lyra® Plant Based (PB)<br>Lyra® Capz™<br>Lyra® Concealed<br>Lyra® PB Direct Apply<br>Lyra® PB Shapes for DesignFlex®<br>Lyra® PB High CAC<br>Lyra® Vector®<br>Lyra® PB Vector® Wood Looks   | •   | •  |   |   |  |                        |
| <b>MetalWorks™</b><br>MetalWorks™ 3D<br>MetalWorks™ Blades – Classics<br>MetalWorks™ Canopies<br>MetalWorks™ Capz™<br>MetalWorks™ Clip-on<br>MetalWorks™ Concealed<br>MetalWorks™ Immix™<br>Blades<br>Linear<br>MetalWorks™ Linear – Classics<br>MetalWorks™ Linear – Diverge®<br>MetalWorks™ Linear – Synchro®<br>MetalWorks™ Shapes for DesignFlex®<br>MetalWorks™ Tegular<br>MetalWorks™ Torsion Spring<br>MetalWorks™ Torsion Spring for Behavioral Health<br>MetalWorks™ Torsion Spring Shapes<br>MetalWorks™ Vector® & Vector® Exterior<br>MetalWorks™ for DesignFlex® Tegular<br>MetalWorks™ Mesh<br>Expanded Metal<br>Welded Wire<br>Woven Wire | •   | •  | •   |   |  | •                      |
| <b>Optima® Capz™</b>  | •   | •  |   |   |  |                        |
| <b>Optima® Health Zone™</b>   |   | •  | •   |   | •  |                        |
| <b>Optima® PB Health Zone™ Walls</b>  |   | •  | •   |   | •  |                        |

| Product   | FOG  |  | SPRAY  |   | WIPE  |                        |
|---|---|--|---|---|--|------------------------|
|   | Fiberlock Technologies, Inc. – ShockWave™ – Diluted 2 oz per gallon                   | Diversey™ – Morning Mist™ Neutral Disinfectant Cleaner – Diluted 2 oz per gallon | Bleach – 0.12%  | Diversey™ – Morning Mist™ Neutral Disinfectant Cleaner – Diluted 0.085% | Diversey™ – Morning Mist™ Neutral Disinfectant Cleaner – Diluted 0.085%                  | Hydrogen Peroxide – 3% |
| <b>Optima®</b><br>Optima® Lay-in & Tegular<br>Optima® PB Shapes for DesignFlex®<br>Optima® PB<br>Optima® Concealed<br>Optima® Vector®   |   | •  |   |   |  |                        |
| <b>Prelude®</b><br>Prelude® Concealed<br>Prelude® ML 15/16" Exposed Tee<br>Prelude® Plus XL® Aluminum 15/16" Exposed Tee<br>Prelude® Plus XL® Stainless Steel 15/16" Exposed Tee<br>Prelude® XL® 15/16" Exposed Tee Plus XL<br>Prelude® XL® 15/16" for Exterior Applications<br>Prelude® Fire Guard™ 15/16" Exposed Tee<br>Prelude® XL® High Recycled Content<br>Prelude® XL Max® | •   | •  | •   | •   |  | •                      |
| <b>School Zone®</b><br>Fine Fissured™   |   | •  |   | •   |  |                        |
| <b>School Zone®</b><br>Fine Fissured™ AirAssure®  |   | •  |   | •   |  |                        |
| <b>Silhouette®</b><br>Silhouette® XL® 9/16" Bolt Slot –<br>1/4" Reveal<br>1/8" Reveal   | •   | •  | •   | •   |  | •                      |
| <b>SingleSpan™ Acoustical Corridor System</b>   | •   | •  | •   | •   |  | •                      |
| <b>SoundScapes®</b><br>Acoustical Canopies<br>Blades<br>Shapes  | •   | •  |   | •   |  |                        |
| <b>Soundsoak®</b><br>Soundsoak® 85 Fiberglass   | •   |  |   |   |  |                        |

| Product  | FOG  |  | SPRAY  |   | WIPE  |                        |
|--|---|--|---|---|--|------------------------|
|  | Fiberlock Technologies, Inc. – ShockWave™ – Diluted 2 oz per gallon                   | Diversey™ – Morning Mist™ Neutral Disinfectant Cleaner – Diluted 2 oz per gallon | Bleach – 0.12%  | Diversey™ – Morning Mist™ Neutral Disinfectant Cleaner – Diluted 0.085% | Diversey™ – Morning Mist™ Neutral Disinfectant Cleaner – Diluted 0.085%                  | Hydrogen Peroxide – 3% |
| <b>Suprafine®</b><br>Suprafine® 9/16" Exposed Tee<br>Suprafine® XL® 9/16" Exposed Tee<br>Suprafine® XL® Fire Guard™ 9/16" Exposed Tee<br>Suprafine® XL® High Recycled Content<br>Suprafine® XM 9/16" Exposed Tee System for Shapes   | •   | •  | •   | •   | •  |                        |
| <b>TechZone® with</b><br>Calla® Field Panels<br>Lyra® PB Field Panels<br>Lyra® PB Technical Panels<br>Optima® Field Panels<br>Optima® Technical Panels<br>Ultima® Technical Panels   |   | •  |   |   |  |                        |
| <b>TechZone® with</b><br>MetalWorks™ Field Panels<br>MetalWorks™ Technical Panels<br>WoodWorks® Field Panels<br>WoodWorks® Technical Panels<br>Ultima® Field Panels  |   | •  | •   | •   |  |                        |
| <b>Tectum®</b><br>Tectum® Blades & Baffles<br>Tectum® Clouds & Shapes<br>Tectum® Create!™<br>Tectum® Direct-Attach<br>Tectum® DesignArt™<br>Tectum® DesignArt™ – Lines<br>Tectum® DesignArt™ – Shapes<br>Tectum® DesignArt™ – Lines<br>Finale™ PB<br>Tectum® DesignArt™ – Lines<br>High NRC<br>Tectum® Finale™ PB<br>Tectum® High NRC<br>Tectum® Lay-in<br>Tectum® Tegular | •   | •  |   |   |  |                        |

| Product   | FOG  |  | SPRAY  |   | WIPE  |                        |
|---|---|--|---|---|--|------------------------|
|   | Fiberlock Technologies, Inc. – ShockWave™ – Diluted 2 oz per gallon                   | Diversey™ – Morning Mist™ Neutral Disinfectant Cleaner – Diluted 2 oz per gallon | Bleach – 0.12%  | Diversey™ – Morning Mist™ Neutral Disinfectant Cleaner – Diluted 0.085% | Diversey™ – Morning Mist™ Neutral Disinfectant Cleaner – Diluted 0.085%                  | Hydrogen Peroxide – 3% |
| <b>Ultima®</b><br>Ultima® AirAssure®<br>Ultima® High NRC<br>Ultima® Lay-in & Tegular<br>Ultima® Shapes for DesignFlex®<br>Ultima® Vector®<br>Ultima® with Prelude® XL Max®<br>Ultima® Templok®<br>Ultima® Low Embodied Carbon   |   | •  |   |   |  |                        |
| <b>Ultima®</b><br>Ultima® Health Zone™<br>Ultima® Health Zone™ AirAssure®<br>Ultima® Health Zone™ High NRC  |   | •  | •   |   | •  |                        |
| <b>WoodWorks®</b><br>WoodWorks® Concealed†<br>WoodWorks® Grille – Classics<br>WoodWorks® Grille – Forté<br>WoodWorks® Grille Tegular<br>WoodWorks® Linear Solid Wood Panels<br>WoodWorks® Linear Tegular<br>WoodWorks® Linear Veneered Closed<br>WoodWorks® Linear Veneered Panels<br>WoodWorks® Linear Veneered Open<br>WoodWorks® Open Cell<br>WoodWorks® Shapes for DesignFlex®<br>WoodWorks® Tegular†<br>WoodWorks® Torsion Spring<br>WoodWorks® Vector®†<br>WoodWorks® Wall Panels | •   | •  | •   | •   | •  | •                      |

† Excludes perforated panels

Follow CDC and EPA recommended dwell time for all disinfectant cleaners.

HealthZone™ Create!™ products cannot be cleaned with disinfectant cleaners.

## Disinfectant Methods

### Fog

- Use the equipment manufacturer's instructions regarding distance from the surface, protective gear, and ventilation.
- If another cleaner has been used in the fogging equipment, be sure to thoroughly clean the equipment before use to avoid potential contamination of the board surface with a non-compatible or staining cleaner.
- Remove any obvious dirt before evenly applying cleaner.
- Wipe dry with a clean, white microfiber cloth. Alternatively, the board may be air dried.



### Spray

- Remove any obvious dirt before applying liquid cleaner.
- Use the concentration of the cleaner as provided in table on former pages.
- Spray the recommended disinfectant evenly over the board surface.
- Wipe with a dry, white microfiber cloth after recommended dwell time (typically 10 minutes).



### Wipe

- Remove any obvious dirt before applying liquid cleaner.
- Use the concentration of the cleaner as provided in the table on former pages.
- Apply cleaner to a sponge or cleaning cloth. Squeeze out excess liquid until the sponge or cloth is damp.
- Gently and evenly wipe the cleaner across the board surface with the damp sponge or cloth. Use even strokes, up to 5 passes across a single position along the surface. Do not exceed the time of exposure recommended by the cleaner manufacturer (typically 10 minutes).
- Wipe with a clean, white microfiber cloth to remove excess liquid.
- Allow the board to finish drying.



**Note:** If liquid is not removed, it may stain the board surface over time.

## Disclaimer

Cleaning conditions and aesthetics may be impacted by additional site conditions. These instructions pertain only to the maintenance of the aesthetics and integrity of Armstrong Ceiling Solutions products. Please consult the manufacturer's instructions and guidance regarding any cleaning product or disinfectant product for use and efficacy.