

Grade 2 Laminate and Flintwood finishes, and Back-Painted Glass are not available.
1 3/16" Knife Edge (V) Worksurface Thickness is not available.

Preconfigured Desks

B_DRFS

B_SRBS

B_DCFS

B_SCBS

B_XRLS

B_YRLS

XXXXX

= Shaded products are excluded from the Xpress program.

Returns & Credenzas

B_JBL

B_JBC

B_JFL

B_JFC

B_JCL

B_JCC

B_JLL

B_JLC

B_ZPF

B_ZPP

B_ZUB

B_ZUF

B_ZUC

B_ZUL

48" to 72" w

78" or 84" w

48" to 72" w

78" or 84" w

P Pulls

T Touch-to-Open

B_ZFS

48" or 54" w

60" to 78" w

84" w

B_ZFD

48" or 54" w

60" to 72" w

78" w

84" w

B_ZFL

48" w

54" to 72" w

78" or 84" w

B_ZFDB

48" w

54" to 72" w

78" or 84" w

B_ZFDF

1 Standard Expansion

9 Rectangular

Desks

B_VF

B_RR

B_RF

B_RS

B_RSC

B_RNL

B_RNC

B_RH

B_RHC

B_CD

B_EC

B_ED

B_PDW

B_PDH

B_BDF

B_BWW

B_EPW

B_EPH

B_PAF

B_RDF

B_RPW

B_RPC

B_RTD

B_RWL

B_RWC

B_RBL

B_RB

1 Flush, Full

5 Flush, Half

9 Wall Access

B_AMLB

Support Styles

Angular Leg (A)

Blade Leg (K)

Semi-Supported Leg (E)

Flush Plate (F)

Semi-Supported Cable with Spacers (G)

Hang-On (H)

Storage (S)

Frame Leg (W)

Multi-Level Workstations

Fixed-Height Products

Table Desks

B_MDWO

L Solid Infill

B_MDWF

G Glass Infill

B_MFWO

B_MDWB

B_MDG

B_MDS

Fixed-Height Desk

B_MDWB

B_MDG

B_MDS

Primary Desks

B_MDG

B_MDS

Full Modesty Fixed Run-Off

BF_MR

Fixed-Height Cantilever Run-Offs

B_MCR

B_MCP

Fixed Run-Off/Extended Tapered Peninsula for Mid-Height

BM_R

BM_EP

Run-Off Worksurfaces

On High Secondary Desk

B_MHH

B_BGMTH

B_MBH

On Low Secondary Desk

B_MPL

B_BGMTL

B_MBL

B_MPG

B_MBG

Secondary Desks

B_MSD

H High

L Low

Height-Adjustable Products

H-A Desk

BH_FB

H-A L-Shape Desks

BH_LD

BH_LC

BH_B

Full Modesty H-A Desk

BF_F

Full Modesty H-A Run-Off

BF_R

Full Modesty H-A Extended Run-Off

BF_E

Full Modesty H-A L-Shape Run-Off

BF_L

Full Modesty H-A Desk for U-Shape Work.

BF_U

H-A Cantilever Run-Offs

BH_CR

BH_CP

H-A Rectangular Work./Run-Off/Peninsula/Tapered Peninsula

BH_RL

BH_RC

BH_RB

BHGRB

BH_RP

BH_TP

BH_PE

H-A Extended Tapered Peninsula

BH_LB

BH_L

BH_LT

H-A L-Shape for Workstations

BH_LB

BH_L

BH_LT

H-A Desk for U-Shape Workstation

BH_UB

Secondary Desks for H-A Run-Off or U-Shape

H High

L Low

BH_SR

Secondary Desks for H-A Peninsula

H High

L Low

BH_SB

Secondary Desks for H-A L-Shape Worksurface

H High

L Low

BH_SL

Available Glass Finish, if applicable

FT Frosted

Available Corner Details, if applicable

S Straight

R Radius

★ Excluded: Frosted (FT) Glass Modesty Panel Finish


★ Excluded: Knife Edge (V) Edge Detail

★ Excluded: Flintwood Flat Trim (9) and/or Full Knife Trim (F) Edge Trim Styles

teknon

Grade 2 Laminate and Flintwood finishes, and Back-Painted Glass are not available.
1 3/16" Knife Edge (V) Worksurface Thickness is not available.

Desk Accessories



BASML

BASMG

BASMM

BASME

BASMCL

BASMCGL

BAMPL

BAMPMP

BWGG

BWGL


BWWO

BWWF

BWWB

BWBL

BWEB



BWSQ

BWSC

BWAL

BWSLB

BASWL

BASWG

BASFF

BASFG

BAPSE

BADF

BADMF

BRAX

BAWO

BALWO

BABE

RAKB


BASFC

BASEP

Available Glass Finish, if applicable

 FT
Frosted

Mounted Storage & Accessories



B_HCL


B_HCG

B_HFL

B_HO

B_TLL

B_ELL



BOTB

BOTM

BOTR

B_HT

BRLL


BRLG

BRLO

BRHL

BRHG

BRHO



BOSH

BOGH

BOSF

BOSG


BODSH

BODGH

BODSS

BODGS

BODOL



BOSOS

BOSOG

BOCOL


BODSH

BODGH

BODSS

BODGS

BODOL



B_OT

BOWF

BOWE

B_WCC

B_WCO


B_WAA

B_WOO

B_WMD

B_WMO

B_WMM



BAWSS

BAWDS

BBAMS

BAWPF

BAWAT

BAWAE

BAWAM

BACT

BACMT

BAREM


Available Glass Finish, if applicable

 CL
Clear

 FT
Frosted

★ Excluded: Knife Edge (V) Edge Detail

Freestanding Storage & Accessories



BSNS

BSNM

BSPSS

BSPMS

BSMCS

BSPUS

BSNCP

BSCPS

BSNLF


BSLFS

BSCDS

BSCDGS

BSCC

Touch-to-Open Doors/Pulls on Drawers



BSUOB

BSMPS

BSMFL

BCFSO

BFRL


BFRG

BFDS

BFDOS

BSWFS

BSCWOS



BSCWS

BSCWG

BSUS

BSUOS

BSUG


BSWUS

BSDS

BSDG

BSWCS

BSWCG



BSSS

BSOB

BXHK

B_NSTR

B_STR

BSHS

BSHT

BSHB

RSLB



RBNSA

K

SOKL

Available Glass Finishes, if applicable

 CL
Clear

 FT
Frosted



01

02

03

04

05

06-07-08

M

R

C

teknon

Grade 2 Laminate and Flintwood finishes, and Back-Painted Glass are not available.
1 3/16" Knife Edge (V) Worksurface Thickness is not available.

Workwall Storage

Workwall Modules

H-A Cantilever Run-Off

30" or 36" w
21" h

BHKHC

F-H Cantilever Run-Off

30" or 36" w
21" h

BHKFC

H-A Worksurface

36" or 54" w
21" h

BKHWH

60" to 90" w

BKHWM

21" h

BKHHL

Full Modesty H.A. Run-Off

46" or 52" wb
21" h

58" to 88" wb

E
With Extension Panel – Horiz./Solid Colors (Shown)
N
No Extension Panel
V
With Extension Panel – Vertical

BKHHL

Full Modesty H-A Extended or "L" Run-Off

66" to 90" w
21" h

84" or 96" w

E
With Extension Panel – Horiz./Solid Colors (Shown)
V
With Extension Panel – Vertical

BKHHL

H-A. & Fixed Worksurfaces

66" to 90" w
21" h

84" or 96" w

BKHHL

Fixed Worksurface

21" h

BKHFW

Full Modesty Fixed Run-Off

21" h

BKHFR

Workwall Kneespace Modules

24" to 36" w
21" h

BSMO

42" to 72" w

BSMOBW

78" or 84" w

BSMOBH

Fixed Worksurfaces

36" w
21" h

42" to 60" w

BSOBT

36" w
21" h

BSOBC

29" h

BSMD

29" h

BSCT

29" h

BSDC

29" h

BSLFT

29" h

BSLFC

Workwall Bookcases

24" to 36" w
21" h

BSMO

42" to 72" w

BSMOBW

78" or 84" w

BSMOBH

Fixed Worksurfaces

36" w
21" h

42" to 60" w

BSOBT

36" w
21" h

BSOBC

29" h

BSMD

29" h

BSCT

29" h

BSDC

29" h

BSLFT

29" h

BSLFC

Workwall Cabinets

24" to 36" w
21" h

BSMO

42" to 72" w

BSMOBW

78" or 84" w

BSMOBH

Fixed Worksurfaces

36" w
21" h

42" to 60" w

BSOBT

36" w
21" h

BSOBC

29" h

BSMD

29" h

BSCT

29" h

BSDC

29" h

BSLFT

29" h

BSLFC

Workwall Lateral Files

24" to 36" w
21" h

BSMO

42" to 72" w

BSMOBW

78" or 84" w

BSMOBH

Fixed Worksurfaces

36" w
21" h

42" to 60" w

BSOBT

36" w
21" h

BSOBC

29" h

BSMD

29" h

BSCT

29" h

BSDC

29" h

BSLFT

29" h

BSLFC

Workwall Stretch Pedestals

24" to 36" w
21" h

BSMSSP

42" to 72" w

BSPT

29" h

BSPC

29" h

BSMCD

36" to 54" w
21" h

BSMOD

60" to 72" w

BSMWL

42" to 72" w
21" h

BSMHLR

78" or 84" w

BSMHD

60" to 72" w
21" h

BSMDOD

78" or 84" w

BSMDOD

Workwall Credenzas

24" to 36" w
21" h

BSMSSP

42" to 72" w

BSPT

29" h

BSPC

29" h

BSMCD

36" to 54" w
21" h

BSMOD

60" to 72" w

BSMWL

42" to 72" w
21" h

BSMHLR

78" or 84" w

BSMHD

60" to 72" w
21" h

BSMDOD

78" or 84" w

BSMDOD

Workwall Credenzas (continued)

Fixed Worksurface

66" to 84" w
21" h

R
Recycling/Waste Bins
S
Storage

BSMCFW

H.A. Run-Off

66" to 84" w
21" h

R
Recycling/Waste Bins
S
Storage

BSMCHR

H.A. Peninsula

66" to 84" w
21" h

R
Recycling/Waste Bins
S
Storage

BSMHCP

H.A. Cantilever Run-Offs

60" to 72" w
21" h

78" or 84" w

R
Recycling/Waste Bins
S
Storage

BSMCHC

66" to 84" w
21" h

R
Recycling/Waste Bins
S
Storage

BSMHL

48" to 84" w
21" h

BSMDOD

Pull Options

9
Rectangular

E
Edge – Standard

F
Edge – Small

M
Modern Straight (ADA)

S
Slim

★ Excluded: Finish Configuration (T, U, V and W) options

Storage for Secondary Desks

High (H)

C
Center Position
M/X
End Position

BSSP

High (H)

C
Center Position
M/X
End Position

BSSL

Low (L)

C
Center Position
M/X
End Position

BSSO

High (H)

C
Center Position
M/X
End Position

BSSD

High (H)

C
Center Position
M/X
End Position

BSSM

Recycling/Waste Bin

High (H)

Low (L)

C
Center Position
M/X
End Position

BSSRW

High (H)

C
Center Position
M/X
End Position

BSSCM

Reception

B_CRF

B_CRL

B_CRU

B_CWG

B_CWL

B_CWU

B_CWR

BCAT

Meeting Tables

H-A Meeting Peninsulas

B_HRW

B_HDW

B_HBW

B_HPW

Fixed Meeting Peninsulas

29" h

BC_FR

29" h (Shown) or 42" h

BC_FD

BC_FT

BC_FP

Support Styles, if applicable

Blade Leg (K)

Bevel Post Monopod Leg (L)

Base (M)

Available in Flintwood Colors

Available Corner Details, if applicable

S
Straight

R
Radius

TV Stand – Fixed or H-A Meeting Peninsulas

M
Metal Shelf Ready
N
No Shelf

BCTV

Metal Shelf – TV Stand

BCSTV

BAMHK

BAME

BAWMG

Available Glass Finish, if applicable

Back-Painted

Lighting, Electrics and Communications

For Wall Panel

BLEDD

BLEDW

BLEDS

BLYTU

BLPP

For Overhead Cabinet

BLDB

BLWC

BLDWC

BEEP

BLMC

BLEPP

D
Desk Mounted with Wire Clips

H
Height-Adjustable Mounted with Wire Clips

N
No Mounting Hardware

W
Worksurface Mounted with Cable Tray & Wire Clips

D101N to D200N Dual

Q202N to Q320S Quad

D_
Dual

Q_
Quad

C0220 or C0300 Compact 8"

S0442 or S0602 Standard 18"

X0882 or X1202 Extended 28"

BLEPT

BLCT

BLWAC

BLGQX

BLGC

BLGE

BLUSB

BLA0

A
Audio Video Interface

B
Dual Data

C
Quad Data

BLECF

★ Excluded: Certain combinations of configurations, wire systems, and cord lengths may not be available. Refer to the Specification Software for more details

tekcion