



Recliner with wood legs 1607-WL

Single textiles

Overall Dimensions	31.5"w x 30"d x 47.5"h	Weight	112.5 lbs.	
Seat Dimensions	22"w x 20"d x 18.5"h	Cubic Feet	44	
Top of Arm to Floor	25.5"	COM	5 yds.	
Seat to Top of Back	28.5"			
Reclined Dimensions	63.5"			

Recliner with wood legs 1607-WL-MT


Multiple textiles

Overall Dimensions	31.5"w x 30"d x 47.5"h	Weight	112.5 lbs.	
Seat Dimensions	22"w x 20"d x 18.5"h	Cubic Feet	44	
Top of Arm to Floor	25.5"	COM - Seat	1 yds.	
Seat to Top of Back	28.5"	COM - Back	2.5 yds.	
Reclined Dimensions	63.5"	COM - Arms	2.75 yds.	
		COM - Foot Ottoman	.5 yds.	

Standard Features	Options Available
- Upholstered seat, back and arms - Durable steel three-position mechanism - American ash wood legs - Foot ottoman is extended by pressing on the recliner's arms	- Arm caps are available in resin, wood, and solid surface - Left, right, or dual-sided power is available in black, white, and storm - Power supply features USB-A and USB-C outlets


Recliner with sled base 1607-SB

Single textiles

Overall Dimensions	31.5"w x 30"d x 47.5"h	Weight	122.5 lbs.	
Seat Dimensions	22"w x 20"d x 18.5"h	Cubic Feet	44	
Top of Arm to Floor	25.5"	COM	5 yds.	
Seat to Top of Back	28.5"			
Reclined Dimensions	63.5"			

Recliner with sled base 1607-SB-MT


Multiple textiles

Overall Dimensions	31.5"w x 30"d x 47.5"h	Weight	122.5 lbs.	
Seat Dimensions	22"w x 20"d x 18.5"h	Cubic Feet	44	
Top of Arm to Floor	25.5"	COM - Seat	1 yds.	
Seat to Top of Back	28.5"	COM - Back	2.5 yds.	
Reclined Dimensions	63.5"	COM - Arms	2.75 yds.	
		COM - Foot Ottoman	.5 yds.	

Standard Features	Options Available
- Upholstered seat, back and arms - Durable steel three-position mechanism - Powder-coated sled base - Foot ottoman is extended by pressing on the recliner's arms	- Arm caps are available in resin, wood, and solid surface - Left, right, or dual-sided power is available in black, white, and storm - Power supply features USB-A and USB-C outlets


Recliner with casters 1607-CA

Single textiles

Overall Dimensions	31.5"w x 34.25"d x 47"h	Weight	117 lbs.	
Seat Dimensions	22"w x 20"d x 18"h	Cubic Feet	44	
Top of Arm to Floor	25"	COM	5 yds.	
Seat to Top of Back	28.5"			
Reclined Dimensions	63.5"			

Recliner with casters 1607-CA-MT

Multiple textiles

Overall Dimensions	31.5"w x 34.25"d x 47"h	Weight	117 lbs.	
Seat Dimensions	22"w x 20"d x 18"h	Cubic Feet	44	
Top of Arm to Floor	25"	COM - Seat	1 yds.	
Seat to Top of Back	28.5"	COM - Back	2.5 yds.	
Reclined Dimensions	63.5"	COM - Arms	2.75 yds.	
		COM - Foot Ottoman	.5 yds.	

Standard Features	Options Available
- Upholstered seat, back and arms - Durable steel three-position mechanism - Swivel locking casters on front and 4" rigid casters on rear - Foot ottoman is extended by pressing on the recliner's arms	- Arm caps are available in resin, wood, and solid surface - Left, right, or dual-sided power is available in black, white, and storm - Power supply features USB-A and USB-C outlets - Shadow grey push bar

Standard Textile & Finish Selection

<http://carolina.ofs.com/resources/textiles>
<http://carolina.ofs.com/resources/finishes>

Frame Construction

- | | |
|-----------|--|
| Seat | • Plywood |
| Back | • Contoured hardwood |
| Arms | • Plywood side panels with solid hardwood interior |
| Footrests | • Plywood |

Foam

- | | |
|----------|--|
| Seat | • All foam is premium grade CAL 117 certified fire retardant |
| Back | • All foam is premium grade CAL 117 certified fire retardant |
| Arms | • All foam is premium grade CAL 117 certified fire retardant |
| Footrest | • All foam is premium grade CAL 117 certified fire retardant |

Suspension

- | | |
|---------------|-------------------------------|
| Seat and Back | • Synet elastic sheet webbing |
|---------------|-------------------------------|

Mechanism

- Painted, heavy gauge steel three-position recliner mechanism

Base Construction

- | | |
|-----------|---|
| Casters | • Light Grey 4" Casters: Swivel Locking on Front and 4" Rigid on rear |
| Sled Base | • Powder-coated bent and welded solid steel rod |
| Wood Leg | • Solid Ash with adjustable floor glides |