


Restoration Millwork®

2026 Exterior Trim Catalog



Create an exterior with real curb appeal...

On Cover

Siding: Cedar Impressions Double 7"
Straight Edge Perfection Shingles
and Monogram Double 4"
Clapboard in Charcoal Gray.

Trim: Restoration Millwork® sheets and
trimboards.



Multiple profiles used in water-table application and skirting.



Sheets, Beadboard and Shingle Mould with Trimboard.



J-Pocket Corner and Trimboard combination.



From distinctive charm to timeless style, homes dressed in Restoration Millwork trim have curb appeal that always generates a second admiring look. With so many options in trim styles, there's no limit to what you can create.

High-Performance Cellular PVC

While CertainTeed cellular PVC looks and feels like top-grade lumber, it provides performance and aesthetic advantages that wood and other materials just can't match.

- Superior quality and excellent dimensional accuracy
- Low maintenance and long-lasting UV-resistant material
- Natural white and ready to install
- Can be painted* to complement exterior colors
- Cuts and mills with traditional woodworking tools
- Class A (Class 1) Flame Spread Classification
- Made in U.S.A.
- Contains recycled content
- 25-year limited warranty



*See Installation Guide (17-03-1600-US-EN) for instructions on painting.



Multiple profiles used in heat formed application.



Crown and Base Cap build-up with Beadboard Panel ceiling.

Make a Beautiful Entrance




First Impressions



Open the door, or window, to creative expression with Restoration Millwork profiles. From traditional and subdued to playful or dramatic, Restoration Millwork's broad range of profiles can be combined into design elements that can highlight and add drama to entranceways, while framing windows with added flair.

Choose from a variety of profiles to create any variation for door and window surrounds. For more information and great ideas, go to certainteed.com.

BACK BAND



RAMS CROWN TRIM BOARD



SHINGLE MOULD TRIM BOARD



BRICK MOULD



BASE CAP

Base mouldings provide a grounding element of architectural millwork appropriate for any traditional or contemporary application requiring exceptional depth of wood work design.

CROWN MOULDING

Derived from a classic style dating back to the golden age of Greek architecture, #45, #47 and #49 crown is used to bridge the corner between wall and ceiling.

BED MOULD


Historically the moulding or group of mouldings immediately beneath the corona of a cornice that is used as a transition above the frieze.



Decorative Mouldings

45/47/49 Crown

- Exterior Ceiling/Soffit (as shown)
- Exterior with 1x Frieze
- Head of Window/Door




45 Crown		47 Crown		49 Crown	
Size	Length	Size	Length	Size	Length
9/16 in. x 5-1/4 in.	16 ft.	11/16 in. x 4-5/8 in.	16 ft.	11/16 in. x 3-5/8 in.	16 ft.

Rams Crown

- Window Header—Crown Mould Look (as shown)
- Gable over 1x
- Column/Frieze Board Detail

Rams Crown	
Size	Length
1-13/32 in. x 2-1/16 in.	16 ft.



Brickmould

- Door Casing (as shown)
- Window Casing (Brick)
- Garage Door Trim



Brickmould	
Size	Length
1-1/8 in. x 2 in.	7 ft.
1-1/8 in. x 2 in.	10 ft.
1-1/8 in. x 2 in.	17 ft.



J-Channel Brickmould

- Door Casing
- Window Casing
- Gable/Frieze Application

J-Channel Brickmould	
Size	Length
1-1/4 in. x 2 in.	17 ft.




RB3 Casing

- Window & Door Surround (as shown)
- Double Stack Trim
- Over Garage Door



356 Casing	
Size	Length
1-7/64 in. x 3-7/16 in.	16 ft.





Coordinate, contrast or complement with CertainTeed exterior siding colors.

Restoration Millwork stays beautiful without the need for painting. However, you can paint Restoration Millwork using CertainTeed certified paints & stains. Sherwin-Williams® VinylSafe™ paints* are comprised of tints formulated to follow CertainTeed's best-in-the industry exterior products color palette. AquaSurTech™ extremely fast air dry and quick clean up paints are CertainTeed approved, as well as their TruStain™ product which provides a real wood stain look to the PVC product.



**Sherwin-Williams VinylSafe Technology colors must be used when choosing darker colors that have a Light Reflecting Value (LRV) of 54 or lower. For colors with a LRV of 55 or higher (the higher the LRV, the lighter the color), you can safely use an acrylic latex paint.*

Make a statement with color

Whether you're looking to coordinate, complement, or make a bold statement, the choice is uniquely yours. You can confidently paint PVC trim in both light and dark shades—without compromise.



Choose a bolder accent to create striking contrasts.



Or use similar colors give you a blended look.



Start exploring preset color combinations and create your own custom exterior with on-line, interactive tools, designed to help you "Visualize Your Home". **Start now at colorview.certainteed.com**



Installs Clean with Protective Film

Individual trimboards are equipped with a protective film, protecting trimboards from smudges, dust and dirt. Boards are protected right up to installation, eliminating the need for job-site cleanup.



Hidden Fastening System

Fast and simple, the Hidden Fastening System makes fastener heads virtually invisible—resulting in a far more beautiful finished look. Fasteners provide a strong connection that can be painted. Use with CertainTeed Restoration Millwork PVC trim in both smooth and TrueTexture™ finishes. Available in 50, 250 and 750 lineal foot packages.

See **Installation Guidelines** (17-03-1600-US-EN) for more information on painting and fastening.



Sustainability for a lifetime

CertainTeed respects the environment through the responsible development of sustainable building products and systems. CertainTeed cellular PVC Trim gives building professionals and homeowners confidence that the homes they design, build, maintain, and occupy are made with sustainable materials that enhance every project's performance and beauty.



The Finishing Touch

Sometimes it's the little things that make a big difference in creating a distinctive home exterior. Restoration Millwork trim is a subtle finishing touch that brings exterior components beautifully together, creating definition and symmetry, while allowing exterior colors, profiles and design elements to take center stage.



TrueTexture™ Finish

CertainTeed's TrueTexture woodgrain finish is molded from real cedar boards, creating a realistic appearance with smooth finish on reverse side.

Smooth Finish

Smooth finish creates the appearance of clean, freshly painted wood, and is smooth on both sides.

Be creative!




From window boxes to bird houses, it's easy to build unique exterior elements with Restoration Millwork trimboards.






Bending: The ability to bend trimboards and profiles varies greatly based on board thickness and width, profile shape, bend radius, and heat source type. CertainTeed recommends reviewing our installation instructions or using a professional PVC bending resource.

Special Order Program: CertainTeed has the ability to manufacture products in different lengths and widths that are not shown in this Specification Guide. We would be glad to discuss opportunities. Please contact your CertainTeed Territory Manager for product guidelines, minimum quantities and pricing.

Trimboards — Smooth/Smooth, Natural White

Trimboards Nominal Size	Actual Size	Order Number*	FULL UNIT			HALF UNIT		
			Pieces per unit	Linear ft. per unit	Weight** lbs. per unit	Pieces per unit	Linear ft. per unit	Weight** lbs. per unit
 5/8 in.	5/8 in. x 6 in. x 18 ft.	11040618005F	160	2,880	2,791	—	—	—
	5/8 in. x 10 in. x 18 ft.	11041018005F	100	1,800	2,925	—	—	—
	1 in. x 3 in. x 18 ft.	11050318005F	288	5,184	2,728	—	—	—
	1 in. x 4 in. x 18 ft.	11050418005	260	4,680	3,531	104	1,872	1,538
	1 in. x 5 in. x 18 ft.	11050518005F	200	3,600	3,494	—	—	—
	1 in. x 6 in. x 18 ft.	11050618005	160	2,880	3,425	64	1,152	1,656
	1 in. x 8 in. x 18 ft.	11050818005	108	1,944	3,101	48	864	1,655
	1 in. x 10 in. x 18 ft.	11051018005	90	1,620	3,265	40	720	1,737
	1 in. x 12 in. x 18 ft.	11051218005	72	1,296	3,191	32	576	1,700
	1 in. x 16 in. x 18 ft.	11051618005	54	972	3,611	24	432	1,721
 3/4 in.	5/4 in. x 4 in. x 18 ft.	11051618005	208	3,744	3,863	104	1,872	2,036
	5/4 in. x 5 in. x 18 ft.	11060518005F	160	2,880	3,029	—	—	—
	5/4 in. x 6 in. x 18 ft.	11060618005	128	2,304	3,659	64	1,152	1,934
	5/4 in. x 8 in. x 18 ft.	11060818005	96	1,728	3,622	48	864	1,916
	5/4 in. x 10 in. x 18 ft.	11061018005	80	1,440	3,829	40	720	2,019
	5/4 in. x 12 in. x 18 ft.	11061218005	64	1,152	3,734	32	576	1,972
 1 in.	5/4 in. x 16 in. x 18 ft.	11061618005H	—	—	—	24	432	2,041

Trimboards — TrueTexture™ Woodgrain/Smooth, Natural White


Trimboards Nominal Size	Actual Size	Order Number*	FULL UNIT			HALF UNIT		
			Pieces per unit	Linear ft. per unit	Weight** lbs. per unit	Pieces per unit	Linear ft. per unit	Weight** lbs. per unit
 5/8 in.	5/8 in. x 6 in. x 18 ft.	12040618005F	160	2,880	2,791	—	—	—
	5/8 in. x 8 in. x 18 ft.	12040818005F	120	2,160	2,765	—	—	—
	5/8 in. x 10 in. x 18 ft.	12041018005F	100	1,800	2,925	—	—	—
	5/8 in. x 12 in. x 18 ft.	12041218005F	80	1,440	2,851	—	—	—
	1 in. x 4 in. x 12 ft.	12050412005F	260	3,120	2,341	—	—	—
	1 in. x 6 in. x 12 ft.	12050612005F	160	1,920	2,268	—	—	—
	1 in. x 8 in. x 12 ft.	12050812005F	108	1,296	2,132	—	—	—
	1 in. x 10 in. x 12 ft.	12051012005F	90	1,080	2,169	—	—	—
	1 in. x 12 in. x 12 ft.	12051212005F	72	864	2,119	—	—	—
 3/4 in.	1 in. x 4 in. x 18 ft.	12050418005	260	4,680	3,531	104	1,872	1,538
	1 in. x 5 in. x 18 ft.	12050518005F	200	3,600	3,535	—	—	—
	1 in. x 6 in. x 18 ft.	12050618005	160	2,880	3,425	64	1,152	1,514
	1 in. x 8 in. x 18 ft.	12050818005	108	1,944	3,101	48	864	1,655
	1 in. x 10 in. x 18 ft.	12051018005	90	1,620	3,265	40	720	1,737
	1 in. x 12 in. x 18 ft.	12051218005	72	1,296	3,191	32	576	1,700
	1 in. x 16 in. x 18 ft.	12051618005	54	972	3,611	24	432	1,721
	5/4 in. x 4 in. x 12 ft.	12060412005F	208	2,496	2,574	—	—	—
	5/4 in. x 6 in. x 12 ft.	12060612005F	128	1,536	2,439	—	—	—
	5/4 in. x 8 in. x 12 ft.	12060812005F	96	1,152	2,415	—	—	—
	5/4 in. x 10 in. x 12 ft.	12061012005F	80	960	2,553	—	—	—
	5/4 in. x 12 in. x 12 ft.	12061212005F	64	768	2,489	—	—	—
 1 in.	5/4 in. x 4 in. x 18 ft.	12060418005	208	3,744	3,861	104	1,872	2,036
	5/4 in. x 5 in. x 18 ft.	12060518005F	160	2,880	3,029	—	—	—
	5/4 in. x 6 in. x 18 ft.	12060618005	128	2,304	3,659	64	1,152	1,935
	5/4 in. x 8 in. x 18 ft.	12060818005	96	1,728	3,622	48	864	1,916
	5/4 in. x 10 in. x 18 ft.	12061018005	80	1,440	3,829	40	720	2,019
	5/4 in. x 12 in. x 18 ft.	12061218005	64	1,152	3,734	32	576	1,972
	5/4 in. x 16 in. x 18 ft.	12061618005H	—	—	—	24	432	2,041

*To order full units, add F to the end of the order number. To order a half unit, add H to the end of the order number, where applicable.


**Weights include pallet.

J-Pockets and Cut-Outs

The built-in J-pocket eases installation of corner trim and the cut-out allows the trimboard to lie flush with the siding around windows and doors with built-in nail flanges, allowing for more perfect miter cuts at the corners.



Built-in J-Pocket for siding



Built-in J-Pocket for siding

Trimboards with J-Pocket — Smooth, Natural White

Trimboards Nominal Size	Actual Size	Order Number*	FULL UNIT			HALF UNIT		
			Pieces per unit	Linear ft. per unit	Weight** lbs. per unit	Pieces per unit	Linear ft. per unit	Weight** lbs. per unit
5/4 in. x 4 in. x 12 ft. J-Pocket	1 in. x 3-1/2 in. x 12 ft.	11160412005F	156	1,872	1,591	—	—	—
5/4 in. x 6 in. x 12 ft. J-Pocket	1 in. x 5-1/2 in. x 12 ft.	11160612005F	96	1,152	1,344	—	—	—
5/4 in. x 4 in. x 18 ft. J-Pocket	1 in. x 3-1/2 in. x 18 ft.	11160418005	156	2,808	2,400	104	1,872	1,663
5/4 in. x 6 in. x 18 ft. J-Pocket	1 in. x 5-1/2 in. x 18 ft.	11160618005	96	1,728	2,028	64	1,152	1,411

Trimboards with J-Pocket — TrueTexture™ Woodgrain, Natural White


Trimboards Nominal Size	Actual Size	Order Number*	FULL UNIT			HALF UNIT		
			Pieces per unit	Linear ft. per unit	Weight** lbs. per unit	Pieces per unit	Linear ft. per unit	Weight** lbs. per unit
5/4 in. x 4 in. x 12 ft. J-Pocket	1 in. x 3-1/2 in. x 12 ft.	12160412005F	156	1,872	1,591	—	—	—
5/4 in. x 6 in. x 12 ft. J-Pocket	1 in. x 5-1/2 in. x 12 ft.	12160612005F	96	1,152	1,344	—	—	—
5/4 in. x 4 in. x 18 ft. J-Pocket	1 in. x 3-1/2 in. x 18 ft.	12160418005	156	2,808	2,400	104	1,872	1,663
5/4 in. x 6 in. x 18 ft. J-Pocket	1 in. x 5-1/2 in. x 18 ft.	12160618005	96	1,728	2,028	64	1,152	1,411



InvisiPro+® Casing


NEW
PRODUCT

InvisiPro+® provides an attractive, easy-to-install alternative to traditional face nailing. Trimboards feature a hidden nail hem integrated into the j-pocket to conceal fasteners. The end result is a nail-free face with no holes left to fill.




Trimboards with J-Pocket and Cut-Outs — Smooth, Natural White

Trimboards Nominal Size	Actual Size	Order Number*	FULL UNIT			HALF UNIT		
			Pieces per unit	Linear ft. per unit	Weight** lbs. per unit	Pieces per unit	Linear ft. per unit	Weight** lbs. per unit
5/4 in. x 4 in. x 18 ft. J-Pocket and Cut-Outs	1 in. x 3-1/2 in. x 18 ft.	11165018005	156	2,808	2,556	104	1,872	1,900




Trimboards with J-Pocket and Cut-Outs — TrueTexture™ Woodgrain, Natural White

Trimboards Nominal Size	Actual Size	Order Number*	FULL UNIT			HALF UNIT		
			Pieces per unit	Linear ft. per unit	Weight** lbs. per unit	Pieces per unit	Linear ft. per unit	Weight** lbs. per unit
5/4 in. x 4 in. x 18 ft. J-Pocket and Cut-Outs	1 in. x 3-1/2 in. x 18 ft.	12165018005	156	2,808	2,556	104	1,872	1,900



Built-in J-Pocket
for siding and
cut-out for
Window Flange





Trimboards with Cut-Outs — Smooth, Natural White

Trimboards Nominal Size	Actual Size	Order Number*	FULL UNIT			HALF UNIT		
			Pieces per unit	Linear ft. per unit	Weight** lbs. per unit	Pieces per unit	Linear ft. per unit	Weight** lbs. per unit
5/4 in. x 4 in. x 18 ft. Cut-Out	1 in. x 3-1/2 in. x 18 ft.	11065018005	156	2,808	4,611	104	1,872	2,409

Trimboards with Cut-Outs — TrueTexture™ Woodgrain, Natural White

Trimboards Nominal Size	Actual Size	Order Number*	FULL UNIT			HALF UNIT		
			Pieces per unit	Linear ft. per unit	Weight** lbs. per unit	Pieces per unit	Linear ft. per unit	Weight** lbs. per unit
5/4 in. x 4 in. x 18 ft. Cut-Out	1 in. x 3-1/2 in. x 18 ft.	12065018005	156	2,808	4,611	104	1,872	2,409



InvisiPro+™ Casing — Smooth, Natural White

Trimboards Nominal Size	Actual Size	Order Number*	FULL UNIT			HALF UNIT		
			Pieces per unit	Linear ft. per unit	Weight** lbs. per unit	Pieces per unit	Linear ft. per unit	Weight** lbs. per unit
5/4 in. x 4 in. x 16 ft.	1.125 in. x 3.5 in. x 16 ft.	12260416005F	162	2,592	2,365	—	—	—
5/4 in. x 4 in. x 18 ft.	1.125 in. x 3.5 in. x 18 ft.	12260417005F	162	2,916	2,764	—	—	—

*To order full units, add F to the end of the order number. To order a half unit, add H to the end of the order number, where applicable.

**Weights include pallet.

Fascia Trimboards




Fascia Trimboard

Fascia trimboard with built in return leg is designed to work with a wide range of soffit materials. Available in TrueTexture and smooth finish.


Smooth Finish

TrueTexture Finish


Texture continues on return leg.



Fascia — Smooth, Natural White					
Fascia Trimboard Nominal Size	Actual Size	Order Number	FULL UNIT		
			Pieces per unit	Linear ft. per unit	Weight** lbs. per unit
3/4 in. x 8 in. x 18 ft.	3/4 in. x 7-1/4 in. x 18 ft.	11430818005F	36	648	1,205
3/4 in. x 10 in. x 18 ft.	3/4 in. x 9-1/4 in. x 18 ft.	11431018005F	32	576	1,260



Fascia — TrueTexture™ Woodgrain, Natural White					
Fascia Trimboard Nominal Size	Actual Size	Order Number	FULL UNIT		
			Pieces per unit	Linear ft. per unit	Weight** lbs. per unit
3/4 in. x 8 in. x 18 ft.	3/4 in. x 7-1/4 in. x 18 ft.	13430818005F	36	648	1,205
3/4 in. x 10 in. x 18 ft.	3/4 in. x 9-1/4 in. x 18 ft.	13431018005F	32	576	1,260



Fiber Cement Skirtboards — TrueTexture™ Woodgrain/Smooth, Natural White					
Fiber Cement Skirtboard Nominal Size	Actual Size	Order Number	FULL UNIT		
			Pieces per unit	Linear ft. per unit	Weight** lbs. per unit
5/4 in. x 6 in. x 12 ft.	1 in. x 5-1/2 in. x 12 ft.	12360612005F	64	768	879
5/4 in. x 8 in. x 12 ft.	1 in. x 7-1/4 in. x 12 ft.	12360812005F	48	576	1,018

*To order full units, add F to the end of the order number. To order a half unit, add H to the end of the order number, where applicable.

**Weights include pallet.

A Great Start, a Quality Finish

Restoration Millwork cellular PVC Skirtboard helps building professionals improve installation time and accuracy, while providing a beautiful finishing touch.

Restoration Millwork Skirtboard meets U.S. building codes requiring 6 in. ground clearance when installing claddings such as fiber cement or engineered wood. It's also ideally suited for use as a transition panel between siding styles. For ultimate style flexibility, Skirtboard panels are reversible, featuring a TrueTexture™ woodgrain finish on one side and a smooth finish on the other.

Use as a Skirtboard or Transition Panel

Skirtboard can be used as a Skirtboard when starting your hardboard cladding installation, as well as a trimboard for use in transition areas between different siding styles. Skirtboard is ideal for lap siding and perfection shingles, as well as with shapes.



Beveled for Precise Installation

Featuring a slight angle at the top lap, Skirtboard is designed to match the angle of most hardboard cladding panels, when used as a starter strip, enabling a perfect fit, without gaps or spaces.




DualStart® Design

Reversible Skirtboard (patent-pending) panels feature a CertainTeed exclusive TrueTexture woodgrain finish on one side, and a smooth finish on the other. The top and bottom edges are identical so when flipped over there will always be a beveled edge at the top to set the first course and built-in drip edge at the bottom.

Built-In Drip Edge

Skirtboard panels are identically notched on both top and bottom, creating a natural drip edge, stopping water from traveling back to the house.





Style Around Every Corner

Restoration Millwork adds a finishing touch around every corner. One-piece corner components add style and corners are available in natural white, and like all Restoration Millwork components, can be painted to match or coordinate with other exterior elements. Traditional face nailing methods can still be used on every one-piece corner style.

Smooth Finish

Smooth finish creates the appearance of clean, freshly painted wood.

TrueTexture™ Finish



CertainTeed's TrueTexture woodgrain finish is molded from real cedar boards, creating a realistic, rustic appearance.

InvisiPro+® Corner

InvisiPro+ provides an attractive, easy-to-install alternative to traditional face nailing. One-Piece Corner featuring a hidden nail hem integrated into the J-pocket to conceal fasteners. The end result is a nail-free face with no holes left to fill.



NEW
PRODUCT



Built-in J-Pocket
for siding


One-piece Corners — Smooth, Natural White

One-piece Corners Nominal Size	Actual Size	Order Number*	FULL UNIT			HALF UNIT		
			Pieces per unit	Linear ft. per unit	Weight** lbs. per unit	Pieces per unit	Linear ft. per unit	Weight** lbs. per unit
5/4 in. x 4 in. x 4 in. x 10 ft.	1 in. x 3-1/2 in. x 3-1/2 in. x 10 ft.	31060410005	72	720	1,288	36	360	693
5/4 in. x 4 in. x 4 in. x 20 ft.	1 in. x 3-1/2 in. x 3-1/2 in. x 20 ft.	31060420005	72	1,440	2,499	36	720	1,422
5/4 in. x 6 in. x 6 in. x 10 ft.	1 in. x 5-1/2 in. x 5-1/2 in. x 10 ft.	31060610005	48	480	1,370	24	240	734
5/4 in. x 6 in. x 6 in. x 20 ft.	1 in. x 5-1/2 in. x 5-1/2 in. x 20 ft.	31060620005	48	960	2,772	24	480	1,502
One-piece Corners with J-Pocket Nominal Size								
5/4 in. x 4 in. x 4 in. x 10 ft. J-Pocket	1 in. x 3-1/2 in. x 3-1/2 in. x 10 ft.	31160410005	72	720	1,059	36	360	579
5/4 in. x 4 in. x 4 in. x 20 ft. J-Pocket	1 in. x 3-1/2 in. x 3-1/2 in. x 20 ft.	31160420005	72	1,440	2,095	36	720	1,163
5/4 in. x 6 in. x 6 in. x 10 ft. J-Pocket	1 in. x 5-1/2 in. x 5-1/2 in. x 10 ft.	31160610005	48	480	1,129	24	240	615
5/4 in. x 6 in. x 6 in. x 20 ft. J-Pocket	1 in. x 5-1/2 in. x 5-1/2 in. x 20 ft.	31160620005	48	960	2,157	24	480	1,128

One-piece Corners — TrueTexture™ Woodgrain, Natural White

One-piece Corners Nominal Size	Actual Size	Order Number*	FULL UNIT			HALF UNIT		
			Pieces per unit	Linear ft. per unit	Weight** lbs. per unit	Pieces per unit	Linear ft. per unit	Weight** lbs. per unit
5/4 in. x 4 in. x 4 in. x 10 ft.	1 in. x 3-1/2 in. x 3-1/2 in. x 10 ft.	33060410005	72	720	1,288	36	360	693
5/4 in. x 4 in. x 4 in. x 20 ft.	1 in. x 3-1/2 in. x 3-1/2 in. x 20 ft.	33060420005	72	1,440	2,499	36	720	1,365
5/4 in. x 6 in. x 6 in. x 10 ft.	1 in. x 5-1/2 in. x 5-1/2 in. x 10 ft.	33060610005	48	480	1,370	24	240	734
5/4 in. x 6 in. x 6 in. x 20 ft.	1 in. x 5-1/2 in. x 5-1/2 in. x 20 ft.	33060620005	48	960	2,772	24	480	1,502
One-piece Corners with J-Pocket Nominal Size								
5/4 in. x 4 in. x 4 in. x 10 ft. J-Pocket	1 in. x 3-1/2 in. x 3-1/2 in. x 10 ft.	33160410005	72	720	1,059	36	360	579
5/4 in. x 4 in. x 4 in. x 20 ft. J-Pocket	1 in. x 3-1/2 in. x 3-1/2 in. x 20 ft.	33160420005	72	1,440	2,095	36	720	1,163
5/4 in. x 6 in. x 6 in. x 10 ft. J-Pocket	1 in. x 5-1/2 in. x 5-1/2 in. x 10 ft.	33160610005	48	480	1,129	24	240	615
5/4 in. x 6 in. x 6 in. x 20 ft. J-Pocket	1 in. x 5-1/2 in. x 5-1/2 in. x 20 ft.	33160620005	48	960	2,290	24	480	1,261

Built-in J-Pocket
for siding



InvisiPro+™ Corners — Smooth, Natural White

One-piece Corners Nominal Size	Actual Size	Order Number*	FULL UNIT			
			Pieces per unit	Linear ft. per unit	Weight** lbs. per unit	Cartons per unit
5/4 in. x 6 in. x 6 in. x 20 ft.	1 in. x 5-1/2 in. x 5-1/2 in. x 20 ft.	31360620005F	30	600	1,200	15

*To order full units, add F to the end of the order number. To order a half unit, add H to the end of the order number, where applicable.

**Weights include pallet.

Pre-Cut and Pre-Mitered for Fast, Easy Installation

Durable, cellular PVC Restoration Millwork Column Wraps are now available directly from CertainTeed. Column wraps are pre-cut and pre-mitered to slide around and swing closed on existing wood load-bearing 4 in. x 4 in. or 6 in. x 6 in. porch posts. Because most of the assembly and gluing is already done, Restoration Millwork Column Wrap makes installation fast and easy, always square, true, and accurate.

Simple and versatile, with 2 column widths — 8 in. x 8 in. and 10 in. x 10 in., and 2 Cap/Base Trim set designs — Restoration Millwork Column Wrap helps installations move faster, while adding long-lasting beauty to porch designs and other exterior areas.

2 Styles, 2 Sizes

8 in. x 8 in. x 9 ft.
10 in. x 10 in. x 9 ft.

The Classic Cap/Base Set



The Estate
Cap/Base Set




Each size available with:
Estate Cap/Base Trim Set
Classic Cap/Base Trim Set




**Pre-Cut and
Pre-Mitered...
Always square,
true, and
accurate.**






Column Wrap — Smooth, Natural White					
Column Wrap Nominal Size	Actual Size	Order Number	FULL UNIT		
			Pieces per unit	Linear ft. per unit	Weight** lbs. per unit
8 in. x 8 in. x 9 ft.	8 in. x 8 in. x 9 ft.	71380809005F	12	108	515
10 in. x 10 in. x 9 ft.	10 in. x 10 in. x 9 ft.	71301009005F	12	108	685

Must order Column Wrap and Trim Kit for complete Column.




Classic Cap/Base Trim Kit — Smooth, Natural White					
Classic Cap/Base Trim Nominal Size	Actual Size	Order Number	FULL UNIT		
			Pieces per unit	Linear ft. per unit	Weight** lbs. per unit
8 in. x 8 in.	8 in. x 8 in.	61480801005F	4	n/a	57
10 in. x 10 in.	10 in. x 10 in.	61401001005F	4	n/a	66

Column Wrap not included. Must order Column Wrap and Trim Kit for complete Column.



Estate Cap/Base Trim Kit — Smooth, Natural White					
Estate Cap/Base Trim Nominal Size	Actual Size	Order Number	FULL UNIT		
			Pieces per unit	Linear ft. per unit	Weight** lbs. per unit
8 in. x 8 in.	8 in. x 8 in.	61680801005F	4	n/a	61
10 in. x 10 in.	10 in. x 10 in.	61601001005F	4	n/a	73

Column Wrap not included. Must order Column Wrap and Trim Kit for complete Column.



1. Attach Blocking

Secure the included blocking around an existing 4 in. x 4 in. or 6 in. x 6 in. load-bearing post. The blocks help reinforce and square up the column installation.



2. Slide Wrap Around an Existing Post

Slide the three-sided Column Wrap with the swinging door closure around the post. Column Wrap comes cut to length for 9 ft. openings, and can be field cut to 8 ft. or adjusted to work up to 10 ft.



3. Swing Door Closed

Apply PVC adhesive to facing edges and close the door on the wrap for a clean, secure finish. Pre-cut, pre-mitered, and in 2 widths, with 2 Cap/Base Trim Sets to choose from, Column Wraps add a touch of traditional elegance.

The Craftsman's Choice


The mark of true craftsmanship is an imagination that knows no limits and the skill to bring ideas to life. Restoration Millwork sheets offer a blank canvas of design possibilities. Available in a full selection of custom and standard sizes and shapes, sheets can be used to create distinctive, one-of-a-kind exterior elements that are as beautiful as they are durable.

TrueTexture™ Finish

CertainTeed's TrueTexture woodgrain finish is molded from real cedar boards, creating a realistic appearance with smooth finish on reverse side.


Smooth Finish

Smooth finish creates the appearance of clean, freshly painted wood, and is smooth on both sides.



Start with one of the many profiles available or make your own mouldings and trim pieces.






Sheets — Smooth/Smooth, Natural White

Sheets Nominal Size	Actual Size	Order Number*	FULL UNIT			HALF UNIT		
			Pieces per unit	Linear ft. per unit	Weight** lbs. per unit	Pieces per unit	Linear ft. per unit	Weight** lbs. per unit
3/8 in. x 4 ft. x 8 ft.	3/8 in. x 4 ft. x 8 ft.	21014808005	25	200	1,077	12	96	553
3/8 in. x 4 ft. x 10 ft.	3/8 in. x 4 ft. x 10 ft.	21014810005	25	250	1,270	12	120	661
3/8 in. x 4 ft. x 18 ft.	3/8 in. x 4 ft. x 18 ft.	21014818005	25	450	2,313	12	216	1,220
1/2 in. x 4 ft. x 8 ft.	1/2 in. x 4 ft. x 8 ft.	21024808005	25	200	1,247	12	96	635
1/2 in. x 4 ft. x 10 ft.	1/2 in. x 4 ft. x 10 ft.	21024810005	25	250	1,602	12	120	820
1/2 in. x 4 ft. x 18 ft.	1/2 in. x 4 ft. x 18 ft.	21024818005	25	450	2,826	12	216	1,465
5/8 in. x 4 ft. x 8 ft.	5/8 in. x 4 ft. x 8 ft.	21044808005	25	200	1,686	12	96	847
5/8 in. x 4 ft. x 10 ft.	5/8 in. x 4 ft. x 10 ft.	21044810005	25	250	2,065	12	120	1,043
5/8 in. x 4 ft. x 18 ft.	5/8 in. x 4 ft. x 18 ft.	21044818005	25	450	3,621	12	216	1,847
3/4 in. x 4 ft. x 8 ft.	3/4 in. x 4 ft. x 8 ft.	21034808005	20	160	1,638	10	80	854
3/4 in. x 4 ft. x 10 ft.	3/4 in. x 4 ft. x 10 ft.	21034810005	20	200	2,058	10	100	1,078
3/4 in. x 4 ft. x 12 ft.	3/4 in. x 4 ft. x 12 ft.	21034812005	20	240	2,464	10	120	1,289
3/4 in. x 4 ft. x 18 ft.	3/4 in. x 4 ft. x 18 ft.	21034818005	21	378	3,907	10	180	1,945
3/4 in. x 4 ft. x 20 ft.	3/4 in. x 4 ft. x 20 ft.	21034820005	21	420	4,070	10	200	2,125
1 in. x 4 ft. x 8 ft.	1 in. x 4 ft. x 8 ft.	21054808005	20	160	2,125	10	80	1,143
1 in. x 4 ft. x 10 ft.	1 in. x 4 ft. x 10 ft.	21054810005	20	200	2,745	10	100	1,421
1 in. x 4 ft. x 12 ft.	1 in. x 4 ft. x 12 ft.	21054812005	20	240	3,271	10	120	1,693
1 in. x 4 ft. x 18 ft.	1 in. x 4 ft. x 18 ft.	21054818005	18	324	4,412	9	162	2,309
1 in. x 4 ft. x 20 ft.	1 in. x 4 ft. x 20 ft.	21054820005	16	320	4,407	8	160	2,319

Sheets — Smooth/Smooth, Natural White



Sheets Nominal Size	Actual Size	Order Number*	FULL UNIT			HALF UNIT		
			Pieces per unit	Linear ft. per unit	Weight** lbs. per unit	Pieces per unit	Linear ft. per unit	Weight** lbs. per unit
3/8 in. x 4 ft. x 8 ft.	3/8 in. x 4 ft. x 8 ft.	22014808005	25	200	1,077	12	96	553
1/2 in. x 4 ft. x 8 ft.	1/2 in. x 4 ft. x 8 ft.	22024808005	25	200	1,247	12	96	634
3/4 in. x 4 ft. x 8 ft.	3/4 in. x 4 ft. x 8 ft.	22034808005	20	160	1,638	10	96	854






*To order full units, add F to the end of the order number. To order a half unit, add H to the end of the order number, where applicable.

**Weights include pallet.

Beadboard




Beadboard, 2TL, 3TL and WP4 are designed to be reversible, which allows for two unique looks from the same board.



Restoration Millwork now offers reversible panels pre-cut with a WP4 groove on one side and a 1/4 in. Nickel Gap on the other to help create the desired look for your project. The new profiles were developed with the TightLap™ design to provide a larger nailing area and easier installation.

Beadboard




Traditional Tongue & Groove[†] — Smooth/Smooth, Natural White

Traditional Tongue & Groove Nominal Size	Actual Size	Order Number*	FULL UNIT			HALF UNIT		
			Pieces per unit	Linear ft. per unit	Weight** lbs. per unit	Pieces per unit	Linear ft. per unit	Weight** lbs. per unit
1/2 in. x 5-1/2 in. x 18 ft.	1/2 in. x 5-1/8 in. x 18 ft.	8300005	200	3,600	2,642	100	1,800	1,430



*REVERSIBLE beaded or channel repeat




2TL, TightLap[†] — Smooth/Smooth, Natural White

2TL, TightLap Nominal Size	Actual Size	Order Number*	FULL UNIT			HALF UNIT		
			Pieces per unit	Linear ft. per unit	Weight** lbs. per unit	Pieces per unit	Linear ft. per unit	Weight** lbs. per unit
1/2 in. x 6 in. x 18 ft.	1/2 in. x 5-3/4 in. x 18 ft.	1125318005	224	4,032	2,648	96	1,728	1,255



*REVERSIBLE beaded or channel repeat




3TL, TightLap[†] — Smooth/Smooth, Natural White

3TL, TightLap Nominal Size	Actual Size	Order Number*	FULL UNIT			HALF UNIT		
			Pieces per unit	Linear ft. per unit	Weight** lbs. per unit	Pieces per unit	Linear ft. per unit	Weight** lbs. per unit
1/2 in. x 8-1/2 in. x 18 ft.	1/2 in. x 8-1/4 in. x 18 ft.	1125418005	200	3,600	3,884	100	1,800	1,852




*REVERSIBLE beaded or channel repeat




Beadboard Panels (NON-REVERSIBLE) — Smooth, Natural White

Beadboard Panels Nominal Size	Actual Size	Order Number*	FULL UNIT			HALF UNIT		
			Pieces per unit	Linear ft. per unit	Weight** lbs. per unit	Pieces per unit	Linear ft. per unit	Weight** lbs. per unit
1/2 in. x 4 ft. x 8 ft.	1/2 in. x 4 ft. x 8 ft.	21224808005	25	200	1,218	12	96	621
1/2 in. x 4 ft. x 10 ft.	1/2 in. x 4 ft. x 10 ft.	21224810005	25	250	1,709	12	120	872



WP4/Nickel Gap, TightLap^{TM†} — Smooth/Smooth, Natural White

3TL, TightLap Nominal Size	Actual Size	Order Number*	FULL UNIT			HALF UNIT		
			Pieces per unit	Linear ft. per unit	Weight** lbs. per unit	Pieces per unit	Linear ft. per unit	Weight** lbs. per unit
3/4 in. x 6 in. x 18 ft.	3/4 in. x 5-3/4 in. x 18 ft.	11935318005F	72	1,296	1,800	—	—	—



*Reversible WP4 or Nickel Gap repeat

*To order full units, add F to the end of the order number. To order a half unit, add H to the end of the order number, where applicable.

**Weights include pallet.

The Choice is Yours!

Whether the job calls for Traditional Beadboard, larger panels or craftsmen inspired patterns, Restoration Millwork cellular PVC offers the right solution to make an authentic statement. Now, with more Beadboard options and the new TightLap™, there's no limit to what you can create.




Reversible pattern allowing for WP4 groove or 1/4 in. Nickel Gap in one board

WP4* / Nickel Gap

(3/4 in. x 6 in. x 18 ft. Nominal)
With TightLap™


*patent pending



Beadboard with Traditional Tongue & Groove

Beadboard

(1/2 in. x 5-1/2 in. x 18 ft. Nominal)
With Tongue & Groove



Beadboard with TightLap

Beadboard 2TL

(1/2 in. x 6 in. x 18 ft. Nominal)
With TightLap™

Beadboard 3TL

(1/2 in. x 8-1/2 in. x 18 ft. Nominal) With TightLap™
installs up to 30% faster than standard 5 in. beadboard



Beadboard Panel Standard Lap

Beadboard Panel

(1/2 in. x 4 ft. x 8 ft. Nominal)
(1/2 in. x 4 ft. x 10 ft. Nominal)

TightLap is designed to have a larger nailing area with the security of tongue and groove.

The Elements of Style

In the hands of a true craftsman, millwork is a tool for expressing creativity, attention to detail and a commitment to quality. With Restoration Millwork, there are so many ways for a craftsman to make his mark — and for homeowners to define their style. From accents to details, traditional designs to contemporary statements, Restoration Millwork's broad selection of millwork components and trimboard sizes make it easy to create a distinctive custom look.



Shingle Mould
11/16 in. x 1-5/8 in. x 16 ft.



RB3 Casing
1-7/64 in. x 3-7/16 in. x 16 ft.



Back Band
1-3/16 in. x 4-1/2 in. x 16 ft.



Adjustable Back Band
1-11/32 in. x 1-13/32 in. x 16 ft.



Inside Corner Post
1-1/4 in. x 1-1/4 in. x 10 ft.




Rams Crown
1-13/32 in. x 2-1/16 in. x 16 ft.



Lattice
1/4 in. x 1-1/2 in. x 16 ft.



Rake
1 in. x 2 in. x 16 ft.



Drip Cap
11/16 in. x 1-5/8 in. x 16 ft.



Cove Moulding
3/4 in. x 3/4 in. x 16 ft.



Base Cap
11/16 in. x 1-1/8 in. x 16 ft.



Quarter Round
3/4 in. x 3/4 in. x 16 ft.



Water Table
2 in. x 2-3/4 in. x 16 ft.



Bed Mould
9/16 in. x 1-5/8 in. x 16 ft.



Brickmould
1-1/8 in. x 2 in. x 7 ft., 10 ft., 17 ft.



Paint Grade Brickmould
1-1/8 in. x 2 in. x 7 ft., 10 ft., 17 ft.



356 Casing
11/16 in. x 2-1/4 in. x 16 ft.



J-Channel Brickmould
1-1/4 in. x 2 in. x 17 ft.



#45 Crown
9/16 in. x 5-1/4 in. x 16 ft.



#47 Crown
11/16 in. x 4-5/8 in. x 16 ft.




#49 Crown
11/16 in. x 3-5/8 in. x 16 ft.



Historic Sill
1-3/4 in. x 2-13/16 in. x 16 ft.



New England Sill
1-3/4 in. x 2-1/32 in. x 16 ft.



Sill
1-1/4 in. x 5 in. x 16 ft.




Sill Nose
1-5/16 in. x 1-3/8 in. x 16 ft.

Special Order Profiles Available.

Special Order Profiles must be ordered in full box quantities.


Extended lead times will apply. Contact your CertainTeed Territory Manager for product guidelines, minimum quantities and pricing.

Specialty Profiles



Smooth, Satin Finish, Natural White					
Nominal Size/Actual Size	Order Number	Length	CARTONS		
			Pieces per carton	Linear ft. per carton	Weight+ lbs. per carton
BRICKMOULD					
1-1/8 in. x 2 in. x 7 ft.	41020207005B	7 ft.	14	98	50
1-1/8 in. x 2 in. x 10 ft.	41020210005B	10 ft.	14	140	60
1-1/8 in. x 2 in. x 17 ft.	41020217005B	17 ft.	14	238	100
PAINT GRADE BRICKMOULD					
1-1/8 in. x 2 in. x 7 ft.	41025107005B	7 ft.	14	98	45
1-1/8 in. x 2 in. x 10 ft.	41025100005B	10 ft.	14	140	60
1-1/8 in. x 2 in. x 17 ft.	41025116005B	17 ft.	14	238	100
J-CHANNEL BRICKMOULD					
1-1/4 in. x 2 in. x 17 ft.	41151517005B	17 ft.	12	204	90
#49 CROWN					
11/16 in. x 3-5/8 in. x 16 ft.	41040416005B	16 ft.	8	128	50
#47 CROWN					
11/16 in. x 4-5/8 in. x 16 ft.	41040516005B	16 ft.	6	96	50
#45 CROWN					
9/16 in. x 5-1/4 in. x 16 ft.	41041316005B	16 ft.	7	112	45
RAMS CROWN					
1-13/32 in. x 2-1/16 in. x 16 ft.	41141616005B	16 ft.	8	128	55
BASE CAP					
11/16 in. x 1-1/8 in. x 16 ft.	41070816005B	16 ft.	32	512	50
RAKE					
1 in. x 2 in. x 16 ft.	41111216005B	16 ft.	10	160	50
QUARTER ROUND					
3/4 in. x 3/4 in. x 16 ft.	41062116005B	16 ft.	38	608	65
DRIP CAP					
11/16 in. x 1-5/8 in. x 16 ft.	41030316005B	16 ft.	22	352	60
SHINGLE MOULD					
11/16 in. x 1-5/8 in. x 16 ft.	41080316005B	16 ft.	18	288	30
BED MOULD					
9/16 in. x 1-5/8 in. x 16 ft.	41050616005B	16 ft.	24	384	50
LATTICE					
1/4 in. x 1-1/2 in. x 16 ft.	41202016005B	16 ft.	50	800	75


†Weights include carton.



Smooth, Satin Finish, Natural White					
Nominal Size/Actual Size	Order Number	Length	CARTONS		
			Pieces per carton	Linear ft. per carton	Weight† lbs. per carton
SILL NOSE					
1-5/16 in. x 1-3/8 in. x 16 ft.	41101116005B	16 ft.	9	144	50
SILL					
1-1/4 in. x 5 in. x 16 ft.	41131416005B	16 ft.	3	48	50
HISTORICAL SILL					
1-3/4 in. x 2-13/16 in. x 16 ft.	41122416005B	16 ft.	4	64	50
NEW ENGLAND SILL					
1-3/4 in. x 2-1/32 in. x 16 ft.	41123016005B	16 ft.	6	96	70
WATER TABLE					
2 in. x 2-3/4 in. x 16 ft.	41253216005B	16 ft.	5	80	60
356 CASING					
11/16 in. x 2-1/4 in. x 16 ft.	41181816005B	16 ft.	16	256	50
RB3 CASING					
1-7/64 in. x 3-7/16 in. x 16 ft.	41171716005B	16 ft.	8	128	55
BACK BAND					
1-3/16 in. x 4-1/2 in. x 16 ft.	41090916005B	16 ft.	4	64	45
ADJUSTABLE BACK BAND					
1-11/32 in. x 1-13/32 in. x 16 ft.	41161916005B	16 ft.	10	160	50
COVE MOULDING					
3/4 in. x 3/4 in. x 16 ft.	41192116005B	16 ft.	50	800	60
INSIDE CORNER POST					
1-1/4 in. x 1-1/4 in. x 10 ft.	41010110005B	10 ft.	9	90	30

†Weights include carton.


Specialty Profiles



Smooth, Satin Finish, Natural White					
Nominal Size/Actual Size	Order Number	Length	CARTONS		
			Pieces per carton	Linear ft. per carton	Weight† lbs. per carton
FLANGED BRICKMOULD					
1-1/4 in. x 2 in. x 17 ft.	41024617005B	17 ft.	12	204	100
FLORIDA BRICKMOULD					
11/16 in. x 1-5/8 in. x 17 ft.	41020317005B	17 ft.	28	476	140
#49 CROWN SCANT					
9/16 in. x 3-5/8 in. x 16 ft.	41044016005B	16 ft.	10	160	53
#623 CENTURY BASEBOARD					
9/16 in. x 3-1/4 in. x 16 ft.	41075016005B	16 ft.	10	160	55
3" SHINGLE RAKE					
3/4 in. x 3-1/8 in. x 16 ft.	41114116005B	16 ft.	10	160	60
A-3 COLONIAL CASING					
1/2 in. x 2 in. x 16 ft.	41184216005B	16 ft.	22	362	64
A-6 CLASSIC CASING					
9/16 in. x 2-3/4 in. x 16 ft.	41184316005B	16 ft.	14	224	47
GARAGE DOOR STOP					
7/16 in. x 1-15/16 in. x 16 ft.	41224716005B	16 ft.	14	224	40
ATTIC (GABLE) VENT LOUVER					
11/16 in. x 3-1/2 in. x 16 ft.	41214416005B	16 ft.	7	112	60
ATTIC (GABLE) VENT SILL					
1-1/8 in. x 3-1/4 in. x 16 ft.	41214516005B	16 ft.	5	80	65
WINDOW SILL WITH CASING					
2-3/16 in. x 6-3/4 in. x 16 ft.	41134916005B	16 ft.	2	32	45
TRANSOM MULL					
1-1/16 in. x 1-1/2 in. x 16 ft.	41134816005B	16 ft.	12	192	80

†Weights include carton.

Hidden Fastening System



Hidden Fastening System				
Description	Order Number	CARTONS		
		Boxes per carton	Weight* lbs. per carton	Cartons per pallet
SMOOTH – 2 IN. SCREWS				
50 LF Box- 75 screws (2in.), 80 plugs 1 setting tool	63170015005C	6	11	48
250 LF Box- 375 screws (2in.), 400 plugs 3 setting tools	63170020005C	4	7.75	32
750 LF Box- 1,125 Screws (2in.), 1,200 plugs 6 setting tools	63170030005C	1	15	75
TRUETEXTURE™ WOODGRAIN – 2 IN. SCREWS				
50 LF Box- 75 screws (2in.), 80 plugs 1 setting tool	63770015005C	6	11	48
250 LF Box- 375 screws (2in.), 400 plugs 3 setting tools	63370020005C	4	7.75	32
750 LF Box- 1,125 Screws (2in.), 1,200 plugs 6 setting tools	63370030005C	1	15	75
SMOOTH – 2-3/4 IN. SCREWS				
250 LF Box- 375 screws (2-3/4 in.), 400 plugs 3 setting tools	63170025005C	4	7.75	32
750 LF Box- 1,125 Screws (2-3/4in.) 1,200 plugs 6 setting tools	63170035005C	1	15	75
TRUETEXTURE WOODGRAIN – 2-3/4 IN. SCREWS				
250 LF Box- 375 screws (2-3/4 in.), 400 plugs 3 setting tools	63370025005C	4	7.75	32
REPLACEMENT PLUGS SMOOTH				
40 LF Bag- Plug only 40 plugs	63170010005C	10	1.25	150
REPLACEMENT PLUGS TRUETEXTURE™				
40 LF Bag- Plug only 40 plugs	63370010005C	10	1.25	150

CertainTeed products are designed to work together and complement each other in color and style to give any home a beautiful finished look.



VINYL SIDING



POLYMER SHAKES & SHINGLES



INSULATED SIDING



METAL SIDING



ROOFING AND VENTILATION



STONE



WEATHER RESISTANT BARRIER



COMPOSITE SIDING



VINYL CARPENTRY® TRIM



PVC EXTERIOR TRIM & BEADBOARD



VINYL & METAL SOFFIT



CertainTeed

Ceilings • Gypsum • Insulation • Roofing • Siding • Trim

20 Moores Road, Malvern, PA 19355 | 800-233-8990 | certainteed.com

©01/26 CertainTeed, Printed in the USA, Code No. 17-00-5449-US-EN