

High Profile Series™ - Wall & Ceiling Battens

High Profile Series™ – Wall & Ceiling Battens combine clean design, installation simplicity, and sustainability leadership. This two-piece extruded aluminum system mounts directly to walls and ceilings without bracketry or exposed fasteners, streamlining installation and delivering a refined finish. With seamless lengths up to 24 feet and a wide range of powder-coated finishes, the system is engineered for performance and visual impact. Designed with responsibly sourced aluminium with up to 75% post-consumer recycled content, this batten system sets a new benchmark for sustainability—delivering low embodied carbon¹ and ethical supply chain transparency² for commercial interiors where sustainability matters.

Features & Benefits

- Streamlined installation: Direct-to-substrate with hidden screw attachment through the base, finished with end cap
- Two-piece system: Base and batten cover design ensures clean, concealed installation
- Durable construction: Extruded aluminum with powder-coated finish for long-lasting performance
- Flexible sizing: Available in seamless lengths up to 24', factory or field-cut to fit project needs
- Secure end caps: Fixed (not snap-on) for a robust, professional finish
- Interior Use: Designed for indoor applications (exterior version in development)
- Build America Buy America (BABA) Act Compliant

Attributes



TESTED PER
ASTM E84 AND
CAN/ULC-S102



CUSTOMIZATION
AVAILABLE

LEED® v4.1

RECYCLED CONTENT	up to 75%
------------------	-----------

- ✓ EQc2: Low Emitting Materials
- ✓ MRC3: Sourcing of Raw Materials
- ✓ MRC4: Material Ingredients (HPD)
- ✓ Pilot Credit: Social Equity within the Supply Chain

LEED® is a registered trademark of the U.S. Green Building Council.

CERTIFICATIONS & PRODUCT DECLARATIONS



GREENGUARD
GOLD CERTIFIED



HPD
AVAILABLE



BABA
COMPLIANT



ALUMINUM
STEWARDSHIP
INITIATIVE

High Profile Series™ - Wall & Ceiling Battens

Sustainability

Designed with holistic sustainability at the forefront, and backed by 3rd party and transparency documentation to meet your LEED, WELL, and Living Building Project goals.

- Low embodied carbon¹ - we've selected an aluminum alloy that's 60% lower carbon than the global average. Our own product specific EPD is in progress.
- Ethical supply chain transparency² - Aluminum Stewardship Initiative, a 3rd party certification program that ensures ethical and responsible production of aluminum down the entire value chain. A chain of custody certification is available upon request and included during quoting.
- Circular Products - Designed for ease of disassembly, fully recyclable, with the highest post-consumer recycled content available for aluminum in the industry.
- Promotes Healthy Interior Environment - Powdercoat finish provides low VOC emitting finish, backed by GREENGUARD Gold, with full material ingredient transparency with a Health Product Declaration.

Colors & Finishes

A wide choice of colors and finishes as well as custom color matching are available upon request. See website for the most up to date information and to order samples. Colors are for illustration purposes only.

Standard Paint Colors



Natural
7163




Cotton White
0280




Atlantic Grey
1117

White Finish Options


Powder-coat paint finish for Arctic White #1015P (Gloss 10-20); Crystalline White #1050P (Gloss 45-55); Supernova White #1085P (Gloss 80-90). Aviation White #1011P: Powder-coat paint finish offering - LRV 90 - 9% gloss finish; Aviation White #1011C: Coil-coat paint finish offering - LRV 93 - 5% low gloss finish.



Arctic White
1015P



Crystalline White
1050P



Supernova White
1085P



Aviation White
1011P

Custom Colors



Premium Custom Colors

Black Finish Options

Powder-coat paint finish for Starless Black #5000P (Matte); Raven Black #5030P (Gloss 25-35); Sable Black #5060P (Gloss 65-75); Wet Glass Black #5095P (Gloss 90-95)



Starless Black
5000P



Raven Black
5030P



Sable Black
5060P



Wet Glass Black
5095P

Decorated (Powder-Coat) Wood-Look Options

Powder-coat paint finish (interior and exterior). Formaldehyde-free, Class A, two-part batten.



Fonthill Cherry
8422



Walnut
8424



Amber Bamboo
8432



Fine Wenge
8433



Grey Barnwood Cedar
8434



Golden Douglas Fir
8436



American Oak
8439



Crazy Cajun Cypress
8442



Swamp Cypress
8444



Clipper Teak
8446



Windjammer Teak
8449




Douglas Fir
8452




Anigre
8453



Farm Maple
8458



Caravel Teak
8460



Regatta Teak
8461



Summer Maple
8465



Terrace Maple
8466



Light Pecan
8475



Penshaw Cherry
8481



Northwest Mountain
Hemlock 8486



Whitewash
8487



White Oak
8491



Rustic Cherry
8739



Cherry
8742



Auxilium Maple
8753



White Oakwood
8758



Additional finishes available upon request. Please contact your local sales representative for more information.


High Profile Series™ - Wall & Ceiling Battens

Installation Examples

Typical Isometrics

Typical Wall Installation

Product can also be installed on the ceiling using the same components



Physical Data

MATERIAL

Aluminum

WEIGHT

Varies 1.0 – 1.6 lbs./LF

FLAME SPREAD / SMOKE DEV.

Per ASTM E84 – CAN.ULC S102

Flame spread: ≤ 25 / Smoke Dev. ≤ 50
(Class A per ASTM E1264)

SEISMIC APPLICATION

Contact CertainTeed Pre-Con Group
for appropriate methods of addressing
the specific application on your project.

WIND LOAD

Per code (for exterior applications)

RECYCLED CONTENT

Up to 75%

LIGHT REFLECTANCE (LR) COEFFICIENT

PER ASTM E1264 & ASTM E1477

- Varies with finish
- Cotton White: LR = 0.81
- Aviation White #1011C: LR = 0.93

STANDARD PROFILES

- 1" X 3"
- 1" X 4"
- 1.5" X 3"
- 2" X 2"
- 2" X 3"
- 2" X 4"
- 2" X 5"
- 2" X 6"

WARRANTY

1-year Limited Warranty.

Full warranty information can be found
at [certainteed.com/warranty](https://www.certainteed.com/warranty)



CertainTeed

CEILINGS • GYPSUM • INSULATION • ROOFING • SIDING • TRIM
20 Moores Road, Malvern, PA 19355 800-233-8990 [certainteed.com](https://www.certainteed.com)