

HPD UNIQUE IDENTIFIER: 2295103216640

CLASSIFICATION: 09 51 00 Acoustical Ceilings

PRODUCT DESCRIPTION: This HPD covers the following CertainTeed Architectural products: All Symphony m, Symphony m Rx, Symphony m Data Center mineral fiber acoustic ceilings panels.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	<i>For all contents above the threshold, the manufacturer has:</i>
☒ Nested Materials Method	☒ 100 ppm	Completed in 4 of 4 Materials	Characterized ☒ Yes ☐ No
☐ Basic Method	☐ 1,000 ppm	Explanation(s) provided for Residuals/Impurities?	<i>Provided weight and role.</i>
Threshold Disclosed Per	☐ Per GHS SDS	☒ Yes ☐ No	Screened ☒ Yes ☐ No
☐ Material	☐ Other		<i>Provided screening results using HPDC-approved methods.</i>
☒ Product			Identified ☐ Yes ☒ No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

BOARD [PERLITE LT-UNK | EYE GLASS, OXIDE, CHEMICALS LT-UNK CELLULOSE LT-P1 | CAN AMYLODEXTRIN NoGS] PAINT [CLAY LT-UNK | CAN CALCIUM CARBONATE BM-3dg TITANIUM DIOXIDE BM-1 | CAN | END | MAM NEPHELINE SYENITE LT-UNK POLYVINYL ALCOHOL LT-UNK TALC BM-1 | CAN | MAM] VEIL [GLASS, OXIDE, CHEMICALS LT-UNK ETHYLENE VINYL ACETATE POLYMER LT-UNK] ADHESIVE CTC FG [UNDISCLOSED LT-UNK] MUL | UNDISCLOSED LT-P1 | MUL WATER BM-4]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [MetalAlloy]

Special Conditions applied: [BiologicalMaterial]

All raw materials have been identified and screened through the HPD Builder Tool. Residuals and impurities have been considered and noted when required under the 100 ppm reporting threshold.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2025-04-18
☐ Yes	VERIFIER:	PUBLISHED DATE: 2025-04-18
☒ No	VERIFICATION #:	EXPIRY DATE: 2028-04-18

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

BOARD		%: 96.0000 - 98.5000	
PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Other: Ceiling Tile Board	
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and noted within the 100 ppm reporting threshold.			
OTHER MATERIAL NOTES: The range of the raw material is directly dependent on the thickest and dimensions of the ceiling tile and the applicable paint formulation. All residuals and impurities are considered and noted when applicable to the guidelines in the HPD BuilderStandard.			

PERLITE			ID: 93763-70-3	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-18 11:28:21	
%: 38.0000 - 55.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
EYE	GHS - New Zealand		Eye irritation category 2	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: The range of the raw material is directly dependent on the thickest and dimensions of the ceiling tile and the applicable paint formulation. All residuals and impurities are considered and noted when applicable to the guidelines in the HPD BuilderStandard.				

GLASS, OXIDE, CHEMICALS			ID: 65997-17-3	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-18 11:28:21	
%: 18.0000 - 22.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European Commission (EU EC)		EU - REACH Exemptions	
			Exempted from REACH Annex V listing due to intrinsic safety	

SUBSTANCE NOTES: The range of the raw material is directly dependent on the thickest and dimensions of the ceiling tile and the applicable paint formulation. All residuals and impurities are considered and noted when applicable to the guidelines in the HPD Builder Standard.

CELLULOSE

ID: 9004-34-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-04-18 11:28:21

%: 14.0000 - 19.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: The range of the raw material is directly dependent on the thickest and dimensions of the ceiling tile and the applicable paint formulation. All residuals and impurities are considered and noted when applicable to the guidelines in the HPD Builder Standard.

AMYLODEXTRIN

ID: 9005-84-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-04-18 11:28:22

%: 6.0000 - 8.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: The range of the raw material is directly dependent on the thickest and dimensions of the ceiling tile and the applicable paint formulation. All residuals and impurities are considered and noted when applicable to the guidelines in the HPD Builder Standard.

PAINT

%: 2.0000 - 5.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Other: Paint/Coating

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and noted within the 100 ppm reporting threshold.

OTHER MATERIAL NOTES: The range of the raw material is directly dependent on the thickest and dimensions of the ceiling tile and the applicable paint formulation. All residuals and impurities are considered and noted when applicable to the guidelines in the HPD BuilderStandard.

CLAY

ID: 1332-58-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-04-18 11:28:22

%: 10.0000 - 55.0000GreenScreen: LT-UNKRC: NoneNANO: NoSUBSTANCE ROLE: Filler

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The range of the raw material is directly dependent on the thickest and dimensions of the ceiling tile and the applicable paint formulation. All residuals and impurities are considered and noted when applicable to the guidelines in the HPD BuilderStandard.

CALCIUM CARBONATEID: 1317-65-3

HAZARD DATA SOURCE: Pharos Chemical and Materials LibraryHAZARD SCREENING DATE: 2025-04-18 11:28:23

%: 7.0000 - 30.0000GreenScreen: BM-3dgRC: NoneNANO: NoSUBSTANCE ROLE: Filler

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The range of the raw material is directly dependent on the thickest and dimensions of the ceiling tile and the applicable paint formulation. All residuals and impurities are considered and noted when applicable to the guidelines in the HPD Builder Standard.

TITANIUM DIOXIDEID: 13463-67-7

HAZARD DATA SOURCE: Pharos Chemical and Materials LibraryHAZARD SCREENING DATE: 2025-04-18 11:28:24

%: 2.0000 - 18.0000GreenScreen: BM-1RC: NoneNANO: NoSUBSTANCE ROLE: Brightener

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
		Colorants - Green Circle (Verified Low Concern)
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		Cosmetics and Personal Care Products

SUBSTANCE NOTES: There is no respiratory fraction as this is bound within the paint and industrial hygiene testing is lower than the OSHA PEL.

The range of the raw material is directly dependent on the thickest and dimensions of the ceiling tile and the applicable paint formulation. All residuals and impurities are considered and noted when applicable to the guidelines in the HPD Builder Standard.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-18 11:28:24	
?: 13.0000 - 15.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: The range of the raw material is directly dependent on the thickest and dimensions of the ceiling tile and the applicable paint formulation. All residuals and impurities are considered and noted when applicable to the guidelines in the HPD Builder Standard.				

POLYVINYL ALCOHOL			ID: 9002-89-5	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-18 11:28:24	
?: 6.0000 - 15.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: The range of the raw material is directly dependent on the thickest and dimensions of the ceiling tile and the applicable paint formulation. All residuals and impurities are considered and noted when applicable to the guidelines in the HPD Builder Standard.				

TALC			ID: 14807-96-6	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-18 11:28:25	
?: 2.0000 - 8.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	
CAN	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route	
CAN	IARC		Group 2a - Agent is probably Carcinogenic to humans	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]	

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: This supplied has verified that the product is asbesots free, the GS ranking combines both asbestos containing and asbestos free talcs in the same CAS#. The range of the raw material is directly dependent on the thickest and dimensions of the ceiling tile and the applicable paint formulation. All residuals and impurities are considered and noted when applicable to the guidelines in the HPD Builder Standard.		

VEIL			%: 1.5000 - 3.0000		
PRODUCT THRESHOLD: 100 ppm		RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes		MATERIAL TYPE: Other: Veil/Facing	
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and noted within the 100 ppm reporting threshold.					
OTHER MATERIAL NOTES: The range of the raw material is directly dependent on the thickest and dimensions of the ceiling tile and the applicable paint formulation. All residuals and impurities are considered and noted when applicable to the guidelines in the HPD BuilderStandard.					

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-18 11:28:23	
?: 97.4700 - 99.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Textile component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European Commission (EU EC)		EU - REACH Exemptions Exempted from REACH Annex V listing due to intrinsic safety	
SUBSTANCE NOTES: The range of the raw material is directly dependent on the thickest and dimensions of the ceiling tile and the applicable paint formulation. All residuals and impurities are considered and noted when applicable to the guidelines in the HPD Builder Standard.				

ETHYLENE VINYL ACETATE POLYMER

ID: 24937-78-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-18 11:28:24	
%: 0.1300 - 1.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: The range of the raw material is directly dependent on the thickest and dimensions of the ceiling tile and the applicable paint formulation. All residuals and impurities are considered and noted when applicable to the guidelines in the HPD Builder Standard.				

ADHESIVE CTC FG

?: 0.5000 - 0.8500

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Other: Adhesive
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been noted and expressed by the supplier when they have eceeded the 100 ppm reporting threshold.		
OTHER MATERIAL NOTES: The range of the raw material has been provided by our adhesive supplier through a Toxnot Survey.		

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Toxnot Chemical Hazard Screening Library	HAZARD SCREENING DATE: 2023-10-30 10:11:04
---	---

%: 75.0000 - 85.0000

GreenScreen: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Polymer species

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Mult*
	EC - CEPA DSL	Persistence
MUL	EC - CEPA DSL	Mult*
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Chemical information has been provide through a Toxnot survey from the supplier. CAS# are CBI but GS rankings are evaluated and disclosed.

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Toxnot Chemical Hazard Screening Library

HAZARD SCREENING DATE: 2023-10-30 10:11:05

%: 14.0000 - 24.0000

GreenScreen: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Plasticizer

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Mult*
MUL	EC - CEPA DSL	Mult*
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Chemical information has been provide through a Toxnot survey from the supplier. CAS# are CBI but GS rankings are evaluated and disclosed.

WATER

ID: 7732-18-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-04-18 11:28:24

%: 0.5000 - 1.5000

GreenScreen: BM-4

RC: None

NANO: No

SUBSTANCE ROLE: Viscosity modifier

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex IV listing due to intrinsic safety

SUBSTANCE NOTES: Chemical information has been provide through a Toxnot survey from the supplier. CAS# are CBI but GS rankings are evaluated and disclosed.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2021-02-25 00:00:00	CERTIFIER OR LAB: Berkeley
APPLICABLE FACILITIES: All	EXPIRY DATE:	Analytical
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: Certificate # 210225-01		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

CERTAINTEED CEILINGS STEEL SUSPENSION SYSTEM WITH PAINTED ALUMINUM CAPPING BY SAINT GOBAIN

MANUFACTURER (OR GENERIC): **CertainTeed Ceilings**

HPD URL: [https://hpdrepository.hpd-](https://hpdrepository.hpd-collaborative.org/repository/hpds/41_certainteed_ceilings_steel_suspension_system_with_painted_aluminum_capping.pdf)

[collaborative.org/repository/hpds/41_certainteed_ceilings_steel_suspension_system_with_painted_aluminum_capping.pdf](https://hpdrepository.hpd-collaborative.org/repository/hpds/41_certainteed_ceilings_steel_suspension_system_with_painted_aluminum_capping.pdf)

ACCESSORY TYPE: Other

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: This is one of the four recommended suspension systems for this product line. For best results CertainTeed Suspension Systems should be utilized.

CERTAINTEED CEILINGS STEEL SUSPENSION SYSTEM WITH PAINTED STEEL CAPPING BY SAINT GOBAIN

MANUFACTURER (OR GENERIC): **CertainTeed Ceilings**

HPD URL: [https://hpdrepository.hpd-](https://hpdrepository.hpd-collaborative.org/repository/hpds/41_certainteed_ceilings_steel_suspension_system_with_painted_steel_capping.pdf)

[collaborative.org/repository/hpds/41_certainteed_ceilings_steel_suspension_system_with_painted_steel_capping.pdf](https://hpdrepository.hpd-collaborative.org/repository/hpds/41_certainteed_ceilings_steel_suspension_system_with_painted_steel_capping.pdf)

ACCESSORY TYPE: Other

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: This is one of the four recommended suspension systems for this product line. For best results CertainTeed Suspension Systems should be utilized.

CERTAINTEED CEILINGS SUSPENSION SYSTEMS 916 EZ STAB BOLT SLOT AND 916 EZ STAB TIER DROP SYSTEMS

MANUFACTURER (OR GENERIC): **CertainTeed Ceilings**

HPD URL: [https://hpdrepository.hpd-](https://hpdrepository.hpd-collaborative.org/repository/hpds/41_certainteed_ceilings_suspension_systems_9_16_ez_stab_bolt_slot_and_9_16_ez_stab_tier_drop_systems.pdf)

[collaborative.org/repository/hpds/41_certainteed_ceilings_suspension_systems_9_16_ez_stab_bolt_slot_and_9_16_ez_stab_tier_drop_systems.pdf](https://hpdrepository.hpd-collaborative.org/repository/hpds/41_certainteed_ceilings_suspension_systems_9_16_ez_stab_bolt_slot_and_9_16_ez_stab_tier_drop_systems.pdf)

ACCESSORY TYPE: Other

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: This is one of the four recommended suspension systems for this product line. For best results CertainTeed Suspension Systems should be utilized.

CERTAINTEED CEILINGS STEEL SUSPENSION SYSTEM WITH PAINTED ALUMINUM CAPPING PVC CLOSED CELL GASKETING

MANUFACTURER (OR GENERIC): **CertainTeed Ceilings**

HPD URL: [https://hpdrepository.hpd-](https://hpdrepository.hpd-collaborative.org/repository/hpds/41_certainteed_ceilings_steel_suspension_system_with_painted_aluminum_capping_pvc_closed_cell_gasketing.pdf)

[collaborative.org/repository/hpds/41_certainteed_ceilings_steel_suspension_system_with_painted_aluminum_capping_pvc_closed_cell_gasketing.pdf](https://hpdrepository.hpd-collaborative.org/repository/hpds/41_certainteed_ceilings_steel_suspension_system_with_painted_aluminum_capping_pvc_closed_cell_gasketing.pdf)

ACCESSORY TYPE: Other

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: This is one of the four recommended suspension systems for this product line. For best results CertainTeed Suspension Systems should be utilized.

Section 5: General Notes

All CertainTeed Ceilings acoustical ceiling panels should be handled and installed per the requirements of the manufacturers SDS.

For best results it is recommended to use CertainTeed Acoustical Ceiling tile grid for installation. Please see <https://www.certainteed.com/commercial-ceilings/> for more information.

This HPD has been created in the Toxnot tool and transferred to the HPD Builder. All raw materials have been screened to the 100 ppm threshold.

All information from the adhesive was received through a Toxnot survey with the adhesive supplier, verified but not disclosed. It was their desire to keep the formulation CBI

Note the recommended suspension systems also have HPD's and will generate an additional LEED point for incorporation into the ceiling design.

MANUFACTURER INFORMATION

MANUFACTURER: **Saint Gobain**
ADDRESS: **20 Moores Road**
Malvern, Pennsylvania 19355
COUNTRY: **United States**

WEBSITE: **<https://www.certainteed.com/ceilings-and-walls/>**
CONTACT NAME: **Robert Marshall**
TITLE: **Sr. Manager, Technical Services, CertainTeed Ceilings Marketing**
PHONE: **800-233-8990**
EMAIL: **Robert.L.Marshall@saint-gobain.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

