



certainteed
SAINT-GOBAIN

Finishing Products

Eastern Region


SAINT-GOBAIN

CertainTeed® finishing products

CertainTeed offers a complete system of finishing products, specially developed to meet the demands of drywall professionals.

CertainTeed packages are color-coded to make it easy to pick the right CertainTeed product for your application.

All Purpose, ready-mixed joint compounds

CertainTeed joint compounds are pre-mixed, high performance products designed for professional applicators.

Ideal for use in all phases of gypsum board finishing. These products meet ASTM C475 Standard.

Note: Not all products are available in all regions. Check for availability with your local CertainTeed representative.

EXTRA LIGHTWEIGHT

CERTAINTEED EXTRA LITE ALL PURPOSE

Code: 649662

3.5 gal / 13.25 L Box

Code: 649659

4.5 gal / 17 L Box

Code: 679336

4.5 gal / 17 L Box- Tint

Code: 649701

4.5 gal / 17 L Pail - White

- Super lightweight
- Smooth surface finish
- Faster drying
- Easy sanding



LIGHTWEIGHT

CERTAINTEED LITE ALL PURPOSE

CODE: 649697/649675

3.5 gal / 13.25 L Box - White

Code: 649695

4.5 gal / 17 L Box - White

CODE: 649661

4.5 gal / 17 L Box - Yellow

CODE: 649699/649677

4.5 gal / 17 L Pail

- Smooth surface finish
- Minimal shrinkage
- Fast drying



MIDWEIGHT

CERTAINTEED MIDWEIGHT ALL PURPOSE

Code: 649663

3.5 gal / 13.25 L Box

Code: 649664

4.5 gal / 17 L Box

Code: 649665

4.5 gal / 17 L Pail

- Smooth surface finish
- Easy sanding



HEAVYWEIGHT

CERTAINTEED ALL PURPOSE

Code: 649668

3.5 gal / 13.25 L Box

Code: 649667

4.5 gal / 17 L Box

Code: 649666

4.5 gal / 17 L Pail

- Smooth surface finish
- Strong durable surface



Filling and finishing ready-mixed joint compounds

CERTAINEED MUD LITE

CODE: 679337

4.5 gal / 17 L Box - White

CODE: 679338

4.5 gal / 17 L Pail - White

- Smooth surface finish
- Minimal shrinkage
- Fast drying



CertainTeed's full range of reliable drywall finishing solutions make installations faster and simpler.

Sandable setting powders

CertainTeed Rapid Joint® Setting Compounds are sandable setting powders used to prefill joints, embed joint tape and finish joints. They are excellent for interior patching and repair and heavy fills as they harden with very little shrinkage in a prescribed time frame. Setting times are available from 20 minutes to 90 minutes.

CERTAINEED RAPID JOINT® SETTING COMPOUNDS

18 lb / 8.17 kg Bags

RAPID JOINT® 20

Code: 412160

RAPID JOINT® 45

Code: 412161

RAPID JOINT® 90

Code: 412162

- Lightweight
- Low shrinkage
- Sandable when dry

Rapid Joint® setting compounds are specially formulated to harden with very little shrinkage and are sandable when dry.



Drywall Surfacers

CERTAINTEED FINISH COAT

Code: 649680

5 gal / 18.9 L Pail -White

Code: 649681

5 gal / 18.9 L Pail -Tinted

Finish Coat is a sprayable drywall surfer used to equalize the porosity finish on gypsum wallboard. Finish Coat produces a surface that is easier to paint. Unlike regular drywall primers Finish Coat conceals most sanding fuzz.

- * Airless spray machine applied
- Reduces labor: Faster than skim coating by hand
- Easier to paint surface
- Conceals most sanding fuzz
- Available in White and Tinted



CERTAINTEED LEVEL V WALL AND CEILING PRIMER/SURFACER

Code: 405374

5 gal / 18.9 L Pail -White

Level V Primer/Surfacer creates a high quality PVA coating that seals the wallboard surface giving it uniform porosity and exceptional holdout for the decorative paint. Its unique formulation allows for both roller and spray application and can be sanded if necessary, making any future repairs fast and simple. It takes a level 4 finish to a level 5 without the need to skim coat by hand.

- Sprayer or Roller application
- Eliminates skim coating by hand
- Can be sanded but not necessary
- Touch ups and repairs are quick and easy
- Takes a level 4 finish to level 5 easily and efficiently



Joint reinforcement tape

CertainTeed Marco® Spark-Perf® joint tape is a spark perforated paper joint tape designed for use with ready-mix joint compound to reinforce gypsum board joints. Marco Spark-Perf tape is GREENGUARD® Gold certified and has a Health Product Declaration (HPD), which provides assurance of raw materials used in the final product.



CERTAINTEED MARCO® SPARK-PERF® PAPER TAPE

Code: 642466 - 500' x 10 rolls

Code: 642461 - 250' x 20 rolls

Code: 642464 - 75' x 20 rolls

- Spark-perforated for elimination of air bubbles
- Manufactured from fibered-paper with added tensile strength to help prevent tearing, wrinkling or stretching
- Machine roughed for superior bonding



Marco® Spark-Perf® drywall joint tape is designed to reinforce drywall joints with an easy to apply high strength paper for crack free joints with no air bubble underneath.


NO-COAT® drywall corners

The NO-COAT® Structural Laminate (SLAM®) design is a drywall corner system that provides superior aesthetics, strength, and durability, and installs faster, while delivering labor savings.

NO-COAT structural laminate corners abandon corner bead design entirely. Instead, the SLAM design integrates dimensionally extruded PET plastic and specially designed paper for a corner system that outperforms all others in the market. All NO-COAT drywall corners are GREENGUARD Gold certified and have a Health Product Declaration (HPD), which provides assurance of raw materials used in the final product.



SLAM TECHNOLOGY INTEGRATES THREE KEY COMPONENTS PROVIDING THE DURABILITY, FLEXIBILITY, AND STRENGTH THAT WON'T CRACK UNDER PRESSURE.



- 1 TAPERED HIGH STRENGTH PET CORE** withstands severe impacts. Won't rust. Requires less mud.
- 2 JOINT TAPE** permanently bonds corner to drywall with All Purpose drywall compound.
- 3 FORMULATED SURFACE PAPER** eliminates cracks, chips and peels, resists abrasion, and effectively accepts paint or texture.

Made With
SLAM
TECHNOLOGY®

NO-COAT® flexible drywall corners

NO-COAT® flex roll products are ideal for off-angle applications, both short and long runs. Wide flange covers large gaps and poor framing. Built-in flexible hinge fits any inside or outside corner angle and creates crisp, straight lines. Creating perfect looking corners that will stand the test of time is simple with these two options from CertainTeed. Each one is easy to apply and produces a strong, uniform corner every time. They won't blister, bubble, dent or crack and the surface paper is ideal for applying paint or texture.

CERTAINTEED NO-COAT® FLEXIBLE CORNER 450

Code: 639585

100' x 4-1/2" - 4 rolls per case

The world's #1 flex product has earned the reputation for delivering perfectly straight lines for challenging off-angles and long spans, while withstanding settling, shrinking lumber, seismic movements and temperature variations.

- Extra stiff profile provides easy application for long spans
- Wide flange covers large gaps and poor framing
- Built-in flexible hinge adjusts to fit any inside or outside corner angle and being memory free maintains that angle
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks



CERTAINTEED NO-COAT® FLEXIBLE CORNER 325

Code: 639586

100' x 3-1/4" - 10 rolls per case

NO-COAT Flexible Corner 325 offers the same durability and strength as Flexible Corner 450 but with a narrower flange width that makes it ideal for shorter off-angle spans.

- Finishes short run off-angles of any length with straight, precise lines
- Built-in flexible hinge forms to any inside or outside corner angle
- Flange width hides irregular framing
- SLAM corner design ensures strength, durability, labor savings which eliminates costly callbacks



Easy-to-apply, high performance, drywall corner solutions that outperform all others in the market.



NO-COAT® drywall corner sticks

Optimal strength and performance for the toughest, straightest edge! NO-COAT® easy-to-install stick lengths deliver perfect corners in record time. Mud applied, extra tough drywall corners that withstand severe impacts and settling. Won't blister, bubble or edge crack. Apply with CertainTeed tools for high speed installations and flawless results. Available in Outside and Inside 90°, 3/8" and 3/4" Bullnose, 1/2" and 5/8" L-Trim and Arch profiles.

CERTAINTEED NO-COAT® OUTSIDE 90

Code: 640665 - 8'
Code: 640666 - 9'
Code: 640667 - 10'
Code: 640668 - 12'



CERTAINTEED NO-COAT® INSIDE 90

Code: 640661 - 8'
Code: 640662 - 9'
Code: 640663 - 10'



CERTAINTEED NO-COAT® BULLNOSE

Bullnose 3/8"

Code: 639613 - 8'
Code: 639614 - 9'
Code: 639615 - 10'
Code: 640669 - 12'

Bullnose 3/4"

Code: 640657 - 8'
Code: 640658 - 9'
Code: 640659 - 10'
Code: 640660 - 12'



CERTAINTEED NO-COAT® L-TRIM

L-Trim 1/2"

Code: 640670 - 10'

L-Trim 5/8"

Code: 640671 - 10'



CERTAINTEED NO-COAT® ARCH

Arch Bullnose 3/4"

Code: 639612 - 10'

Arch Outside 90°

Code: 640655 - 10'



NO-COAT® PRO automated drywall corner system

The NO-COAT® PRO automated drywall corner system — consisting of NO-COAT PRO and NO-COAT PRO CORNERS — produces ready-to-install drywall corners with joint compound applied to any angle and cut to any length. The fastest and most efficient cornering system available.

CERTAINTEED NO-COAT® PRO CORNER

Code: 640653

250' x 3-3/4" - 1 roll

NO-COAT PRO CORNER flexible roll product is ideal for production work, long columns and soffits. When used with the NO-COAT PRO machine, production time is dramatically reduced, and waste is virtually eliminated.

- Extra stiff profile provides easy application for long spans
- Wide flange covers large gaps and poor framing
- Built-in flexible hinge adjusts to fit any inside or outside corner angle



CERTAINTEED NO-COAT® PRO L-TRIM CORNER

Code: 681287

250' x 1/2" - 1 roll

Code: 681289

250' x 5/8" - 1 roll

NO-COAT PRO L-TRIM CORNERS are designed for exclusive use with NO-COAT PRO. They require no masking, allowing for a quick and clean finishing of exposed drywall edges and reveals for a clean, perfect edge. Available in 1/2" or 5/8".

- Extra stiff profile provides easy application for long spans
- Wide flange covers large gaps and poor framing
- Built-in flexible hinge adjusts to fit any inside or outside corner angle



CERTAINTEED NO-COAT® PRO

Code: 405331

The NO-COAT PRO machine is the first and only automated system for custom cutting corners of any length or angle. Its lightweight portability makes it easy to move on the jobsite.

- Outside 90° and L-Trim corners and long spans of any angle
- Portable size is light-weight and easy to maneuver
- Replaces pre-cut stick lengths and roll products with one simple 250' (76.2 m) roll
- Easy-to-use keypad stores custom measurements
- 5 gallon hopper is easy-to-fill, clean and cap for overnight mud storage

Replaces pre-cut stick lengths and roll products with one simple 250' (76.2 m) roll.



LEVELLINE® drywall corner



LEVELLINE® flexible rolls are ideal for off-angle applications. Wide flange covers gaps and poor framing. The built-in flexible hinge fits any inside or outside corner angle and creates crisp, straight lines.

LEVELLINE Outside and Inside 90 corners are easy to handle and install, better than metal — Lighter, easier to cut, less waste, less dents, no rust — creating crisp, straight corners.

All LEVELLINE drywall corners are GREENGUARD Gold certified and have a Health Product Declaration (HPD), which provides assurance of raw materials used in the final product. Meets Class A flame Spread and smoke development rating per ASTM E84 and CAN/ULC-S102.

CERTAINTED LEVELLINE® FLEXIBLE ROLLS


Code: 640656

100' x 2-3/4" - 12 roll case

Code: 678716

32' x 2-3/4" - 12 roll case

- Finishes short runs and off-angles with straight, precise lines
- Built-in flexible hinge forms to any inside or outside corner angle
- Flange width hides gaps and irregular framing



CERTAINTED LEVELLINE® OUTSIDE 90

Code: 650269 - 6' 10"


Code: 650188 - 8'

Code: 650187 - 9'

Code: 650189 - 10'

Code: 651716 - 12'

- Impact resistant, easier to repair damage
- Less compound - Less dry time
- Lighter and easier to cut than metal bead, no sharp edges or burring
- Reduced storage and handling damage



CERTAINTED LEVELLINE® INSIDE 90

Code: 680802 - 8'

Code: 680803 - 9'

Code: 680804 - 10'

- Provides fast and easy inside corners
- Perfectly straight inside crease
- Faster to paint than traditional methods



LEVELLINE drywall corners are easy to install and deliver perfect corners in record time.



Aquabead® water-activated adhesive drywall corner

Water-activated adhesive AquaBead® offers fast, easy installation and outstanding performance.



CertainTeed AquaBead corner products are quick and easy to install — just spray with water and press. No joint compound or spray adhesive required. They can be coated within 30 minutes or less for quicker finishing. Robust paper-PET-paper design withstands impacts and movement to prevent dents and edge cracking. All AquaBead drywall corners are GREENGUARD Gold certified and have a Health Product Declaration (HPD), which provides assurance of raw materials used in the final product.

CERTAINEED AQUABEAD® OUTSIDE 90

Code: 639662 – 8'
Code: 639661 – 9'
Code: 639663 – 10'
Code: 639717 – 12'



CERTAINEED AQUABEAD® OUTSIDE 90 TRIM

Code: 640742 – 8'
Code: 640743 – 9'
Code: 640744 – 10'
Code: 640745 – 12'



CERTAINEED AQUABEAD® BULLNOSE

Code: 639666 – 8'
Code: 639665 – 9'
Code: 639660 – 10'



CERTAINEED AQUABEAD® L-TRIM

L-Trim 1/2"
Code: 639664 – 10'
L-Trim 5/8"
Code: 639872 – 10'



- Water activated adhesive
- Simple to apply
- Superior bonding
- No nails, compound or spray glue required
- Easy to cut
- Won't rust or crack
- Lightweight for easy handling
- Impact resistant

Specially engineered corner does not require coating. Just fill the outside edges with joint compound to create the perfect corner.

Water-activated adhesive provides a superior bond directly to drywall

Perforations allow compound to adhere to the drywall surface

Just Add Water



Drywall corner tools

CERTAINTEED NO-COAT® ROLLERS

CertainTeed rollers press corners firmly and accurately into place, creating an absolute bond to the drywall.

- Ensures high speed, accurate installations
- Squeezes out excess mud
- Taper matches exact corner profile for the maximum bond with the minimum amount of mud
- Highly durable. Stainless steel components provide extreme corrosion resistance
- Stainless steel rollers with Nylatron and brass bushings
- Stainless steel frame and hardware



OUTSIDE 90
Code: 640677



INSIDE 90
Code: 640679



BULLNOSE
Code: 639616



ONE SIDED
Code: 640678

CERTAINTEED NO-COAT® PRO ROLLER

- Specially shaped wheels for a perfect 90 degree corner
- Durable thermoplastic roller wheels
- Stainless steel frame and hardware
- Corrosion resistant



NO-COAT® PRO
Code: 640675

CERTAINTEED AQUABEAD® ROLLERS

CertainTeed AquaBead Rollers allow for high speed installations and flawless results

- Ensures high speed, accurate installations
- Taper matches exact corner profile for the maximum bond
- Pliable roller wheels. Highly durable.



OUTSIDE 90°
Code: 405325



BULLNOSE
Code: 405326

CERTAINTEED DOUBLE BARREL HOPPER®

Works with inside, outside and bullnose stick corners and flexible corners.

Code: 640676

- Ensures a uniform, high-speed installation
- Single piece gates with ergonomic hand knob allow for fast and easy adjustments
- High density polyurethane tank and gate controllers
- Stainless steel reservoir trough and gates



TECHNICAL INFORMATION

SITE CONDITIONS

The room temperature should be maintained at 50°F (10°C) for 48 hours prior to application and continuously thereafter until completely dry. Continuous ventilation must be provided to ensure proper drying. When using temporary heating, care should be taken to avoid overheating and high humidity.

TECHNICAL REFERENCES

For additional information on the application and finishing of CertainTeed Joint Compounds please consult Safety Data Sheet found on our website www.certainteed.com.

WARRANTY

www.certainteed.com/warranty



Achieve smooth, high-quality results quickly and efficiently with Certainteed's full range of dependable drywall finishing products.

Visit certainteed.com/drywall or call 800-233-8990

USGBC® and the related logo are trademarks owned by the U.S. Green Building Council® and are used with permission.



The Health Product Declaration® logo is a trademark or service mark of Health Product Declaration Collaborative, Inc., in the United States and in other countries and is being used herein under license.

