
CONSEQUENCE 2.0
Milliken

INSPIRED. INSPIRING.

Any single piece of a bird's nest is weak. But together, they form a constellation of tiny junctures that, as one, can withstand the strongest winds and the heaviest rain. Consequence builds upon a multitude of simple lines to form a design that is synaptic and yet structural, fractal and yet strong.



Unshot in Doppler, vertical ashlar tile installation



Sequel in Doppler, vertical ashlar tile installation



Effect in Side, monolithic tile installation



Outcome in Side, monolithic tile installation



Outcome *(field)* and Sequel *(border)* in Side, monolithic tile installation



Get more at millikenfloors.com



Upshot in Trickle Down, monolithic tile installation



Sequel in Trickle Down, monolithic tile installation



Effect in Trickle Down, monolithic tile installation



Outcome in Trickle Down, monolithic tile installation



Effect in Direct, monolithic tile installation



SEQ03-39 SOUND (Upshot UPS, Effect EFF, Outcome OUT)



SEQ07-122 TRICKLE DOWN (Upshot UPS, Effect EFF, Outcome OUT)



SEQ124-47 PLATEAU (Upshot UPS, Effect EFF, Outcome OUT)



SEQ48-108 SIDE (Upshot UPS, Effect EFF, Outcome OUT)



SEQ12-17 PLACEBO (Upshot UPS, Effect EFF, Outcome OUT)



SEQ39-124 TRICKLE UP (Upshot UPS, Effect EFF, Outcome OUT)



SEQ124-59 DIRECT (Upshot UPS, Effect EFF, Outcome OUT)



SEQ108-79 POSITION (Upshot UPS, Effect EFF, Outcome OUT)



SEQ15-98 NETWORK (Upshot UPS, Effect EFF, Outcome OUT)



SEQ142-143 AVALANCHE (Upshot UPS, Effect EFF, Outcome OUT)



SEQ95-27 DELAY (Upshot UPS, Effect EFF, Outcome OUT)



SEQ108-27 COATTAIL (Upshot UPS, Effect EFF, Outcome OUT)



Outcome in Direct, monolithic tile installation



SEQ144-106 BUTTERFLY (Upshot UPS, Effect EFF, Outcome OUT)



SEQ165-108 EDGE (Upshot UPS, Effect EFF, Outcome OUT)



SEQ95-86 GREENHOUSE (Upshot UPS, Effect EFF, Outcome OUT)



SEQ04-87 CAUSE (Upshot UPS, Effect EFF, Outcome OUT)



SEQ44-106 BANDWAGON (Upshot UPS, Effect EFF, Outcome OUT)



SEQ25-118 DOPPLER (Upshot UPS, Effect EFF, Outcome OUT)



SEQ03-43 CHILLING (Upshot UPS, Effect EFF, Outcome OUT)



SEQ04-41 VISUAL (Upshot UPS, Effect EFF, Outcome OUT)



SEQ106-27 CASCADE (Upshot UPS, Effect EFF, Outcome OUT)



SEQ106-107 LAKE (Upshot UPS, Effect EFF, Outcome OUT)



SEQ55-46 FLOODGATE (Upshot UPS, Effect EFF, Outcome OUT)



SEQ103-86 LOTUS (Upshot UPS, Effect EFF, Outcome OUT)



CONSEQUENCE 2.0

Effect/Outcome/Sequel/Upshot

Construction
Tufted, Loop Pile

Tile Size
50 cm x 50 cm
(19.7" x 19.7")
1 m x 1 m
(39.4" x 39.4")

Yarn Type
Milliken-Certified WearOn® Nylon

Stain Resist / Soil Release
StainSmart®

Dye Method
PrintWorks™ Precision Dyeing

Finished Pile Height
0.12" (3.05 mm)

Average Density (Finished)
8,024

Standard Backing
PVC-Free WellBAC® Comfort Plus Cushion
Available with TractionBack®

Texture Appearance Retention Rating (TARR)
Severe Traffic End-Use Applications

Recommended Installation Method(s)
Effect, Outcome, Sequel: Monolithic, Vertical Ashlar
Upshot: Vertical Ashlar

MONOLITHIC V. ASHLAR

SUSTAINABLE FEATURES

Consequence 2.0 is manufactured with WellBAC® Comfort Plus cushion backing, and is certified NSF-140 Gold with 37.4% pre-consumer recycled content by total product weight. **Consequence 2.0** is also available with our NSF-140 Platinum backing option. All Milliken modular carpets carry Environmental Product Declarations and Health Product Declarations, which contribute to LEED certification. Additionally, Milliken modular carpets carry Declare® transparency labels and comply with the Red List Imperative of the Living Building Challenge.™

CERTIFIED cradle to cradle SILVER

Declare. Third Party Verified Red List Free

UL CERTIFIED ENVIRONMENTAL PRODUCT DECLARATION UL.COM/EPD

M/PACT™
CARBON OFFSET PROGRAM

M/PACT carbon neutral products offset the raw materials and manufacturing carbon footprint* by using 3rd party Verified Carbon Standard Credits that support renewable energy and carbon reduction technologies to help fight climate change. When you choose M/PACT products, you can be sure your choice is carbon neutral.

* As calculated and verified scope A1-3 GWP through a ISO14025/ISO14040 compliant LCA and published in third party EPDs.

Images in this brochure and architect folder are approximate for color and pattern scale. Please use actual carpet samples to make your final selections.

SHOWN ON THE COVER
(*Front*) Upshot in Direct.
(*Back*) Upshot in Side.

Scan to learn more.

Milliken™

© 2022 Milliken & Company | Design © Milliken & Company | Made in the USA CP 0124