




LUMENOLOGY
FLEXFORM LVT™

Milliken™

LUMENOLOGY

PART OF THE **CRAFTED IN AMERICA** SERIES

We believe institutional spaces can be bright, welcoming environments with the simple introduction of color, texture and pattern to the flooring design. Lumenology resilient flooring allows you to bring light and energy into any space with its diverse color palette. Part of the Crafted in America series, Lumenology resilient products are also domestically made to ensure reliable, timely delivery.









A COLLECTION OF **LIGHT, COLOR & TEXTURE**

With anchoring neutrals, harmonizing textures, and inspiring color, Lumenology resilient allows you to reimagine how spaces are defined. Create endless expressions of color coordination with our Reflective, Light Wash, and Light Stitch pattern options.



Light Stitch in Dim LSE13. Random Ashlar.





DESIGNED TO **COORDINATE**

Designed to work as a kit, the Lumenology Collection offers a wide spectrum of pre-built color sets. From education to healthcare and beyond, explore endless variations with a flexibility that can go anywhere your imagination takes you.

LIGHT STITCH

25 cm x 1 m planks




Translucent LSE257




Lambda LSE199



Reveal LSE144




Frequency LSE123




Dim LSE13




Transmit LSE258




Aspect LSE154



Ultra Violet LSE232



Infrared LSE191



Photon LSE109




Sunlit LSE289




Array LSE231



Vector LSE266



Linear LSE202




Momentum LSE230

LIGHT WASH

25 cm x 1 m planks



Lustering LWE257




Spotlight LWE265



Candent LWE190



Lucent LWE265-189



Vision LWE203



Opaque LWE265-203



Flicker LWE126



Light LWE265-126



Shade LWE154



Opalescent LWE265-195



Light Wash in Opaque LWE265-203 and Light Stitch in Momentum LSE230.



Reflective in Deflect RFE6 and Light Stitch in Dim LSE13. Ashlar.

REFLECTIVE

25 cm x 1 m planks



Refract RFE144



Shaft RFE13-12



Iridescent RFE6-126



Deflect RFE6

LUMENOLOGY



Art, backed by science.

Milliken's resilient flooring collections create new options for commercial, hospitality, education and retail interiors. Easily coordinate between LVT and Milliken's extensive carpet offerings – designed to work together.

PROGUARD™ REINFORCED POLYURETHANE COATING

Integrated surface technology provides best in class scratch and stain resistance, eliminates the need for additional finishes or harsh chemical treatments.

WEAR LAYER

Heavy commercial grade transparent wear layer protects the print visuals and ensures product performs in heavy foot traffic.

PRINTED LAYER


State of the art printing technology providing authentic visuals and designs.

HIGH PERFORMANCE CORE LAYER

Ensures excellent durability, stability and long term performance.

BACKING LAYER

Engineered balance layer provides stability and durability of the product.






Milliken offers cost effective, fully warrantied resilient solutions that do NOT require moisture testing.



Best in category ProGuard MAX™ outperforms competitive coatings in scuff, stain, and scratch resistance.



Milliken resilient flooring with ProGuard MAX™ coating provides excellent protection for the floor and significantly reduces maintenance costs by eliminating the need for waxes, polishes and harsh chemicals.



PACKED *with*
PERFORMANCE.



Equalize in Intro EQL209. Ashlar.
Light Wash in Lustering LWE257. Ashlar.



Scan to learn more about
all the benefits Milliken
products have to offer.



Scan to learn more
about our commitment
to sustainability.

CLIMATE IMPACT

Our climate is changing. Milliken takes a holistic approach reducing our products' embodied carbon without compromise to quality. We champion circularity through our N/XT Life™ reclamation program, and continue on our carbon reduction journey offsetting the full cradle-to-gate carbon footprint through our M/PACT™ program.



M/PACT™
CARBON OFFSET PROGRAM

N/XT LIFE™
CIRCULARITY PROGRAM

MATERIAL HEALTH

Our innovative flooring solutions pave the way for healthier, happier, more productive spaces. With 100% material transparency, low-VOCs, and less new raw materials, we aim to eliminate harmful chemicals in-line with the highest voluntary standard.

Declare.



YOUR COMPLETE FLOORING SOLUTION

Discover sustainably crafted, high performance
Resilient and Entrance Flooring options at

www.MillikenFloors.com



LUMENOLOGY

FLEXFORM™ LVT

Light Stitch / Light Wash / Reflective

Available in 2.5 mm and 5.0 mm planks.

Construction

High Performance
Luxury Vinyl Tile

Finish

2.5 mm: ProGuard™
5.0 mm: ProGuard MAX™

Wear Layer Thickness

22 mil (0.55 mm)

Overall Thickness

2.5 mm: (0.098")
5.0 mm: (0.197")

Edge Profile

Square

Installation

Glue Down

Nominal Size

9.84" x 39.37"
(25 cm x 100 cm)

Pieces Per Box

2.5 mm: 16
5.0 mm: 8

Weight Per Box

2.5 mm: 37.6 lb (17.06 kg)
5.0 mm: 37.21 lb (16.88 kg)

Quantity Per Box

2.5 mm: 42.9 ft² (3.99 m²)
5.0 mm: 21.5 ft² (2.0 m²)

Warranties

22 Year Limited
Commercial Wear

1 Year Manufacturing
Defect Warranty

Recommended

Installation Method(s)



ASHLAR



RANDOM



HERRINGBONE

SUSTAINABLE FEATURES

Milliken LVT is durable resilient flooring engineered with the highest quality raw materials to provide unsurpassed performance and enduring aesthetics.



Declare.

M/PACT™
CARBON OFFSET PROGRAM

SHOWN ON THE COVER

(Front) Light Stitch in Frequency LSE123 and Dim LSE13. Random Ashlar. (Back) Light Stitch in Dim LSE13 and Reflective in Deflect RFE6. Ashlar.

Scan to explore
the collection story.



Milliken™

Customer Concierge 800.824.2246 | millikenfloors.com
© 2025 Milliken & Company | Design © Milliken & Company | Made in the USA

2710037050
CP 0625

Images in this brochure are approximate for color and pattern scale. Please use actual samples to make your final selections.