



LOCAL MEASURE
FLEXFORM™ LVT

Milliken™



LOCAL MEASURE

Introducing Local Measure, a refreshed resilient collection that embodies the art of refined living through the seamless fusion of tradition and modernity. Crafted with care in the USA, each piece draws inspiration from timeless design traditions while embracing a fresh, contemporary approach. Available at various price points, these designs meet foot traffic demands and budgetary requirements, making them perfect for both high-end renovations and practical updates.



MADE IN AMERICA

As a domestically-made product, Local Measure promises you peace-of-mind with increased reliability and shipment speeds.



PROGUARD™ & PROGUARD MAX™

Select between our polyurethane coatings for best in class scratch and stain resistance.



MOISTURE MANAGEMENT

Don't let moisture get in the way of a perfect install. Milliken offers cost effective fully warrantied solutions that do NOT require moisture testing.



MADE-TO-ORDER INVENTORY PROGRAM

Designing with Local Measure means your project will never be held up or delayed by unexpected lead times. As a USA-made product, styles ship quickly and efficiently.



COMMERCIAL WARRANTY OPTIONS

ProGuard™ coatings are backed by 10 or 15 Year Warranties. ProGuard Max™ is backed by a 22 Year Warranty.





Wilderness in Allspice. Ashlar.

WILDERNESS

Inspired by the natural warmth and charm of hardwood, Wilderness creates a sophisticated and inviting aesthetic.



VISTA

Designed with modern interiors in mind, this pattern captures the rich textures and organic beauty of natural stone providing both elegance and functionality.



Vista in Sea Salt. Herringbone.



Retreat in Goldenrod. Monolithic.

RETREAT

Bring a touch of timeless sophistication to any space with parquet flooring that seamlessly blends with various aesthetics, creating a statement that is both bold and enduring.





Retreat in Goldenrod. Monolithic.



6 Wilderness in Casia. Herringbone.



Vista in Sea Salt. Herringbone.

Suitable for a range of environments—from multifamily residences to higher education and retail spaces—Local Measure adapts effortlessly. With flexible installation options, including striking herringbone patterns, it's easy to tailor the flooring to the needs of any space. The result is a durable, resilient flooring solution option that is budget-friendly and designer approved.

To accommodate various project scopes, Local Measure is offered at multiple price points, ensuring performance without compromising on quality. Whether your project demands durability for heavy traffic or a budget-conscious solution, there's an option that fits.

Visualize now at
millikenfloors.com



Local Measure is thoughtfully designed to bring a sense of ease and comfort to your space, capturing the essence of lived-in luxury. The collection celebrates the beauty of natural textures, classic patterns, and nuanced finishes—combining the rich heritage of handcrafted traditions with modern sensibilities. From traditional oak and walnut tones to modern stone and parquet, each option adds depth and character to your space.

1
SELECT
YOUR
PATTERN

2
SELECT
YOUR
COLOR

3
SELECT
YOUR
PLATFORM

WILDERNESS

SHADE VARIATION GUIDE

LOW

MODERATE

HIGH




Balm WIL219 LOW



Farro WIL207 MODERATE



Basil WIL145 LOW




Chervil WIL218 MODERATE



Casia WIL206 LOW



Fennel WIL235 LOW



Fawn WIL251 LOW



Allspice WIL121 LOW



Butterscotch WIL211 MODERATE



Juniper WIL210 LOW



Honey WIL22 LOW



Ginger WIL214 LOW



Barley WIL204 MODERATE



Walnut WIL98 MODERATE



Curry WIL176 MODERATE



Russet WIL76 LOW

PLATFORM		WEAR WARRANTY:	FINISH:
THICKNESS	WEAR LAYER		
2.5mm	22 mil	15 Year	ProGuard™
5.0mm	22 mil	22 Year	ProGuard Max™
2.0mm with 12 mil wear layer is available as made to order. Ask your sales rep for details.			

1
SELECT
YOUR
PATTERN

VISTA



Sea Salt VIS257 LOW



Rye VIS235 LOW



Cardamom VIS6 LOW



Vista in Rye. Ashlar.

PLATFORM		WEAR WARRANTY:	FINISH:
THICKNESS	WEAR LAYER		
2.5mm	22 mil	15 Year	ProGuard™
5.0mm	22 mil	22 Year	ProGuard Max™
2.0mm with 12 mil wear layer is available as made to order. Ask your sales rep for details.			

RETREAT



Lemongrass RET286 LOW



Goldenrod RET20 LOW



Spruce RET206 LOW



Sugarcane RET218 LOW



Wheat RET48 LOW



Cypress RET6 LOW



Chestnut RET98 LOW



Cocoa RET10 LOW

PLATFORM		WEAR WARRANTY:	FINISH:
THICKNESS	WEAR LAYER		
2.5mm	22 mil	15 Year	ProGuard™
5.0mm	22 mil	22 Year	ProGuard Max™
2.0mm with 12 mil wear layer is available as made to order. Ask your sales rep for details.			


2
SELECT
YOUR
COLOR

3
SELECT
YOUR
PLATFORM

Proudly produced in the USA, Local Measure combines sophisticated aesthetics with faster delivery. As a domestically-made product, Local Measure promises you peace-of-mind with increased reliability and shipment speeds.




FLEXFORM™ 2.5MM



OVERALL THICKNESS 2.5mm (0.098")
WEAR LAYER THICKNESS 22 mil

- 1 **PROGUARD™ REINFORCED POLYURETHANE COATING**
Integrated surface technology provides best in class scratch & stain resistance, eliminates the need for additional finishes or harsh chemical treatments.
- 2 **WEAR LAYER**
Heavy commercial grade 22 mil transparent wear layer protects the print visuals and ensures product performs in heavy foot traffic.
- 3 **PRINTED LAYER**
State of the art printing technology provides authentic visuals and designs.
- 4 **HIGH PERFORMANCE CORE LAYER**
Ensures excellent durability, stability and long term performance.
- 5 **BACKING LAYER**
Engineered balance layer provides stability and durability of the product.

FLEXFORM™ 5.0MM



OVERALL THICKNESS 5.0mm (0.197")
WEAR LAYER THICKNESS 22 mil

- 1 **PROGUARD™ REINFORCED POLYURETHANE COATING**
Integrated surface technology provides best in class scratch & stain resistance, eliminates the need for additional finishes or harsh chemical treatments.
- 2 **WEAR LAYER**
Heavy commercial grade 22 mil transparent wear layer protects the print visuals and ensures product performs in heavy foot traffic.
- 3 **PRINTED LAYER**
State of the art printing technology provides authentic visuals and designs.
- 4 **INTEGRAL SOUND ABSORPTION LAYER**
Provides improved acoustical performance and supports comfort underfoot.
- 5 **HIGH PERFORMANCE CORE LAYER**
Ensures excellent durability, stability and long term performance.
- 6 **BACKING LAYER**
Engineered balance layer provides stability and durability of the product.

2.5mm (22 mil) 5.0mm (22 mil)

Recommended Use

Healthcare, Assisted Living, Hospitals, Corporate, Education and Retail for High Traffic Commercial

Healthcare, Assisted Living, Hospitals, Corporate, Education, Retail and Hospitality for High Traffic Commercial

Attributes

Mid-cost for high traffic sensitive budgets (\$\$)

Higher-cost for high traffic and modular with carpet tile height - transitionless (\$\$\$)

Acoustics

Underlayment needed for increased acoustic performance for multi-family buildings

Underlayment needed for increased acoustic performance for multi-family buildings

2.0mm with 12 mil wear layer is available as made to order. Ask your sales rep for details.

SHADE VARIATION GUIDE

Just as texture and physical appearance will vary in samples of wood, beautiful variations of shade are found in this unique LVT product. The shade variation guide reflects our LVT styles ranging from low, to moderate, to high. Low shade variation features soft and subtle gradations. Moderate shade variation contains a more distinguishable variety of hue. And high shade variation models the highest level of contrast. **LOCAL MEASURE** has **LOW** to **MODERATE** shade variation.





Milliken offers cost effective, fully warranted resilient solutions that do NOT require moisture testing.



Best in category ProGuard MAX™ outperforms competitive coatings in scuff, stain, and scratch resistance.



Milliken resilient flooring with ProGuard MAX™ coating provides excellent protection for the floor and significantly reduces maintenance costs by eliminating the need for waxes, polishes, and harsh chemicals.

Retreat in Goldenrod. Monolithic.

PACKED *with* PERFORMANCE



Scan to learn more about all the benefits Milliken products have to offer.



Scan to learn more about our commitment to sustainability.

CLIMATE IMPACT

Our climate is changing. Milliken takes a holistic approach reducing our products' embodied carbon without compromise to quality. We champion circularity through our N/XT Life™ reclamation program, and continue on our carbon reduction journey offsetting the full cradle-to-gate carbon footprint through our M/PACT™ program.



M/PACT™
CARBON OFFSET PROGRAM

N/XT LIFE™
CIRCULARITY PROGRAM

MATERIAL HEALTH

Our innovative flooring solutions pave the way for healthier, happier, more productive spaces. With 100% material transparency, low-VOCs, and less new raw materials, we aim to eliminate harmful chemicals in-line with the highest voluntary standard.



YOUR COMPLETE FLOORING SOLUTION

Discover sustainably crafted, high performance Resilient and Entrance Flooring options at:

www.MillikenFloors.com



Milliken™

Customer Concierge 800.824.2246 | millikenfloors.com
© 2026 Milliken & Company | Design © Milliken & Company

Scan to explore
the product
catalog.



2710037732
CP 0626

LOCAL MEASURE

Wilderness / Retreat / Vista

FLEXFORM™ LVT

Construction
High Performance
Luxury Vinyl Tile

Finish
2.5mm: ProGuard™
5.0mm: ProGuard MAX™

Wear Layer Thickness
22 mil (0.55 mm)

Overall Thickness
2.5mm (0.098")
5.0mm (0.197")

Nominal Sizes
Wilderness: 6" x 48"
(15.24 cm x 121.92 cm)
Retreat: 18" x 18"
(45.72 cm x 45.73 cm)
Vista: 12" x 24"
(30.48 cm x 60.96 cm)

Edge Profile
Square

Installation
Glue Down

Warranties
2.5mm: 15 Year
Limited Commercial
5.0mm: 22 Year
Limited Commercial

**Recommended
Installation Method(s)**

Planks:



Tiles:



Pieces Per Box	2.5mm	5.0mm
Wilderness (6" x 48")	18	10
Retreat (18" x 18")	16	10
Vista (12" x 24")	18	10
Weight Per Box	2.5mm	5.0mm
Wilderness (6" x 48")	30.9 lbs (14.0 kg)	35.3 lbs (16.0 kg)
Retreat (18" x 18")	29.5 lbs (13.4 kg)	39.0 lbs (17.7 kg)
Vista (12" x 24")	29.3 lbs (13.3 kg)	35.1 lbs (15.9 kg)
Quantity Per Box	2.5mm	5.0mm
Wilderness (6" x 48")	36 ft² (3.35 m²)	20 ft² (1.86 m²)
Retreat (18" x 18")	36 ft² (3.35 m²)	22.5 ft² (2.09 m²)
Vista (12" x 24")	36 ft² (3.35 m²)	20 ft² (1.86 m²)

2.0mm with a 12 mil wear layer is available as made to order. Ask your sales rep for details.

SUSTAINABLE FEATURES

Milliken LVT is durable resilient flooring engineered with the highest quality raw materials to provide unsurpassed performance and enduring aesthetics.



M/PACT™
CARBON OFFSET PROGRAM

Declare.

SHOWN ON THE COVER

(Front) Wilderness in Fawn. Ashlar.
(Back) Wilderness in Casia. Herringbone.

Images in this brochure are approximate for color and pattern scale. Please use actual samples to make your final selections.